

---

## Enforcement Regulations of the Plant Variety Protection and Seed Act

(Ordinance of the Ministry of Agriculture, Forestry and Fisheries  
No.83 of December 3, 1998)

Final Revision: Ordinance of the Ministry of Agriculture, Forestry  
and Fisheries No.33 of May 29, 2012

The Ordinance for revision of the entirety of Enforcement  
Regulations of the Plant Variety Protection and Seed Act  
(Ordinance of the Ministry of Agriculture, Forestry and Fisheries  
No.17 of 1978) is established as follows on the basis of Article  
2, paragraph 6, Article 4, paragraph 2, Article 5, paragraph 1  
and paragraph 2, Article 6, paragraph 1, Article 7, paragraph 2  
and paragraph 3, Article 11, paragraph 1, Article 18, paragraph  
3, Article 20, paragraph 2, item 1, Article 21, paragraph 3,  
Article 22, paragraph 2, Article 38, paragraph 1, Article 46,  
Article 47, paragraph 1, Article 49, paragraph 1, and Article 50,  
paragraph 1, item 6 of the Plant Variety Protection and Seed Act  
(Act No.83 of 1998) and for implementing the Act.

(Class of Agricultural, Forestry or Aquatic Plants)

**Article 1.** The classes specified by Ordinance of the Ministry of  
Agriculture, Forestry and Fisheries under Article 2, paragraph  
7 of the Plant Variety Protection and Seed Act (Hereinafter,  
referred to as the "Act") shall be as listed in the left side of  
Annexed table 1, and the agricultural, forestry, or aquatic plants  
belonging to respective classes shall be as listed in the  
intermediate column.

(Genus or Species of Perennial Plants)

**Article 2.** The genus or species of the agricultural, forestry, or  
aquatic plants specified by an Ordinance of the Ministry of  
Agriculture, Forestry and Fisheries under Article 4, paragraph  
2 of the Act shall be woody plants.

---

(Terminology, etc., of Documents)

**Article 3.** The documents relating to an application for variety registration shall, excluding documents prescribed under the next paragraph and paragraph 3, be written in Japanese.

However, roman letters may be used with regards to the name and domicile or residence of the applicant, the breeder of the applied variety, and the name of the applied variety.

2. The documents relating to an application for variety registration shall, with regards to the scientific names of the genus or species of the agricultural, forestry, or aquatic plants, be written in roman letters.

3. Regarding a power of attorney and other documents, written in a foreign language, translations thereof shall be attached.

(Procedures of Application for Variety Registration)

**Article 4.** A person filing an application for variety registration with regards to a variety in which seeds or spawns are the propagating materials shall submit the seeds or strains of the variety when filing the application.

(Matters, etc., to be Stated in the Application)

**Article 5.** Regarding the genus or species of the agricultural, forestry, or aquatic plants prescribed in Article 5, paragraph 1, item 2 of the Act, the scientific names and Japanese names of the species or genus which are listed in Annexed Table 2 and to which the applied varieties belong shall be described. However, where the species or genus to which the applied varieties belong is not listed in the Table, the scientific name and Japanese name which can specify the species or genus to which it belongs shall be stated.

2. The matters specified by Ordinance of the Ministry of Agriculture, Forestry and Fisheries in Article 5, paragraph 1, item 5 of the Act shall be as follows.

(1) Where the applied variety is a variety for which an application equivalent to an application for variety registration was filed in a foreign State, the name of the State in which the application was filed and the name of the variety

(2) When the applicant claims a right of priority under the provision of Article 11, paragraph 1 of the Act, the statement to that effect,

---

the name of the contracting State (in the case of an Intergovernmental Organization, its name) in which the application was first filed and the filing date of the application, or the name of the State in which, among the specified State applications, the first application (where the applicant belongs to the specified State, the application filed in the specified State. Hereinafter, referred to as "the first specified State application") was filed, and the filing date of the application filed in the specified State

- (3) Where the propagating material or the harvested material of the applied variety was transferred in the course of trade prior to the filing date of the application (excluding the case where a transfer was made for the purpose of experiment or research, or where a transfer was made against the will of the breeder), the date of the first transfer in Japan, the date of the first transfer in a foreign country, and the country in which the transfer was made
- (4) Listing of exhibits and attached documents
- (5) When requesting the application of the provisions of Article 13, paragraph 1 of the Act on Promotion of Utilization of Organic Resources Originated from Agriculture, Forestry or Fisheries as Materials for Biomass Fuels (Act No.45 of 2008), the statement to that effect and the certificate number of Article 10 of the Enforcement Regulations of the Act on Promotion of Utilization of Organic Resources Originated from Agriculture, Forestry or Fisheries as Materials for Biomass Fuels (Ordinance of the Ministry of Agriculture, Forestry and Fisheries, Ministry of Economy, Trade and Industry, Ministry of the Environment No. 1 of 2008)
- (6) When requesting the application of the provisions of Article 12, paragraph 1 of the Act on the Promotion of Utilization of New Applications of Rice (Act No.25 of 2009), the statement to that effect and the certificate number of Article 14 of the Enforcement Regulations of the Act on the Promotion of Utilization of New Applications of Rice (Ordinance of the Ministry of Agriculture, Forestry and Fisheries No.41 of 2009)

(7) When requesting the application of the provisions of Article 17, paragraph 1 of the Act on the Creation of New Businesses by Agriculture, Forestry, or Fishery Persons Utilizing Local Resources and Promotion of Utilization of Local Agricultural and Marine Products (Act No.67 of 2010), the statement to that effect and the certificate number of Article 16 of the Enforcement Regulations of the Act on the Creation of New Businesses by Agriculture, Forestry, or Fishery Persons Utilizing Local Resources and Promotion of Utilization of Local Agricultural and Marine Products (Ordinance of the Ministry of Agriculture, Forestry, and Fisheries No.7 of 2011)

(8) When requesting the application of the provisions of Article 42, paragraph 2 of the Act of Special Measures Concerning Reconstruction and Revitalization of Fukushima (Act No. 25 of 2012), the statement to that effect and the certificate number of Article 4 of the Enforcement Regulations of the Act of Special Measures Concerning Reconstruction and Revitalization of Fukushima related to the Ministry of Agriculture, Forestry and Fisheries (Ordinance of Ministry of Agriculture, Forestry and Fisheries No. 33 of 2012)

3. The request shall be created in accordance with Annexed Format No.1.

(Documents to be Attached to the Request)

**Article 6.** The following documents shall be attached to the request of Article 5, paragraph 1. However, if the document of item 4 cannot be attached when filing the application, it may be submitted within three months from the day following the filing of the application.

(1) Where all of some of the applicants are persons other than the breeder of the applied variety, a document certifying that they are the successors of the breeder of the applied variety

(2) Where the application is filed by a representative, a document certifying his/her authority

(3) When the applicant is a foreign national, a document certifying his/her nationality, or any of the following documents

- 
- (A) Where the applicant has domicile or residence in Japan (in the case of a corporation, business office), a document certifying the same
- (B) Where the applicant has domicile or residence in a contracting party, etc., other than Japan or a member state (in the case of a corporation, business office), a document certifying the same
- (C) Where the state to which the applicant belongs (excluding a contracting party and a member state) provides Japanese nationals with the protection on the breeding of varieties under the same conditions as for its own nationals, or which provides Japanese nationals with the protection, provided that Japan allows nationals of that state to enjoy a breeder's right and other rights related to a breeder's right, a document certifying the same and a document certifying that the state provides protection in relation to the breeding of the variety according to the application
- (4) When the applicant claims priority under the provision of Article 11, paragraph 1 of the Act, a document certifying the fact that the first application was filed in the contracting party or in the specified state
- (Matters to be Stated in the Description, etc)

**Article 7.** The matters specified by Ordinance of the Ministry of Agriculture, Forestry and Fisheries under Article 5, paragraph 2 of the Act are as follows.

- (1) The characteristics of the plant of the applied variety and the characteristics which are clearly distinguished thereby from other plants
  - (2) Methods for breeding and propagating the applied variety
  - (3) In the case of a variety which does not have seeds or spawn as the propagating material, the conditions of the protection of the plant of the applied variety
  - (4) The main usage of the applied variety and points to consider on cultivation thereof
2. The description shall be prepared in accordance with Annex Format 2.
  3. The photograph under Article 5 of the Act shall show the characteristics of the plant of the applied variety (excluding

---

the case when a photograph cannot be taken) which make the plant clearly distinguishable from other plants.

(Amount, etc., of Application Fee)

**Article 8.** The amount specified by the Ordinance of the Ministry of Agriculture, Forestry and Fisheries under Article 6, paragraph 1 of the Act shall be 47200 yen.

2. The application fee shall be paid with revenue stamps attached to the request. However, where the application for variety registration is filed using an electronic data processing system prescribed in Article 3, paragraph 1 of the Act on the Utilization of Information and Communications Technology in Administrative Procedure, etc. (Act No. 151 of 2002. Hereinafter, referred to as "Information and Communications Technology Utilization Act"), under the provisions of the same paragraph, the fees shall be paid in cash based on the payment information acquired through the application for variety registration.

(Notification of Change of Name of the Applicant)

**Article 9.** The notifications of Article 7, paragraph 2 and paragraph 3 of the Act shall be made by submitting written notifications prepared in accordance with Appended Format 3 and Appended Format 4, respectively to the Minister of Agriculture, Forestry and Fisheries.

2. The notification of Article 7, paragraph 2 of the Act shall be made jointly by all of the applicants prior to the change of the name of the applicant and a person to whom the name of the applicant is to be changed.

3. Where there is an agreement on the portion of shares of the breeder's right to be granted upon variety registration, where there is an agreement prescribed in Article 23, paragraph 2 of the Act, or where there is a contract under the proviso of Article 256, paragraph 1 of the Act as applied mutatis mutandis pursuant to Article 264 of the Civil Code, a statement to that effect shall be stated in the written notification of paragraph 1.

4. Documents certifying that the person to whom the name of the applicant is to be changed under paragraph 2 or the general successor of Article 7, paragraph 3 of the Act is the successor

---

of the applicant shall be attached to the written notification of paragraph 1.

(Special Provisions for Submission of Materials Concerning the Application which Claimed Priority Right)

**Article 10.** The applicant who claimed the priority right under the provisions of Article 11, paragraph 1 of the Act shall, where requested to submit materials concerning the application which claimed the priority right under the provisions of Article 15, paragraph 1 of the Act, submit the materials within three years from the day following the filing date of the application filed in a contracting party or a specified state. However, this shall not apply to cases when the first application in the contracting party or the specified state has been rejected, or the applicant has withdrawn or abandoned the first application in the contracting party or the specified state, or when the Minister of Agriculture, Forestry and Fisheries has designated a day after the day on which the three years elapse.

(Withdrawal, etc., of Application for Variety Registration)

**Article 11.** The withdrawal of the application for variety registration shall be prepared in accordance with Appended Format 5, and the abandonment of the application for variety registration shall be prepared in accordance with Appended Format 6.

(Implementation Method, etc., of the Growing tests of the Applied Variety)

**Article 11-bis.** The growing tests of Article 15, paragraph 2 of the Act shall inspect the following matters and shall be conducted by a method in which a suitable control variety is selected, experimental plots of the applied variety and the control variety are provided, and the varieties are compared.

(1) The characteristics of the plants of the applied variety and the control variety

(2) The requirements listed in the items of Article 3, paragraph 1 of the Act concerning the applied variety

2. When interferences occur in the implementation of the growing tests of Article 15, paragraph 2 of the Act due to weather-related disasters, the occurrence of pests, or other circumstances, the Incorporated administrative agency National Center for Seeds and

---

Seedlings (Hereinafter, referred to as "NCSS") shall immediately notify the Minister of Agriculture, Forestry, and Fisheries of the same.

3. The NCSS shall, when having performed the growing tests of Article 15, paragraph 2 of the Act (including the case when growing tests have been requested to relevant administrative organs, educational institutions or other persons who are considered appropriate under the provisions of Article 15, paragraph 5 of the Act), without delay, report the results to the Minister of Agriculture, Forestry and Fisheries in accordance with Appended Format 6-bis.

(Format of the Argument)

**Article 12.** The argument of Article 18, paragraph 2 of the Act shall be prepared in accordance with Appended Format 7.

(Matters to be Publicly Notified Concerning Variety Registration)

**Article 13.** The matters specified by an Ordinance of the Ministry of Agriculture, Forestry and Fisheries of Article 18, paragraph 3 of the Act are as follows.

- (1) The registration number and date of variety registration
- (2) The genus or species of the agricultural, forestry, or aquatic plant to which the registered variety belongs
- (3) The denomination of the registered variety
- (4) Summary of the characteristics of the registered variety
- (5) The term of the breeder's right
- (6) The name and domicile or residence of the person obtaining variety registration
- (7) Name of the breeder of the registered variety
- (8) Date of publication of application

(Issuance of Certificate of Variety Registration)

**Article 14.** The Minister of Agriculture, Forestry, and Fisheries shall, when a variety registration has been made, issue a certificate of variety registration, together with a document stating the characteristics of the registered variety to the holder of the breeder's right.

2. The certificate of variety registration of the preceding paragraph shall be prepared in accordance with Appended Format 8.



---

(Methods for Breeding an Essentially-Derived Variety)

**Article 15.** The methods specified by the Ordinance of the Ministry of Agriculture, Forestry and Fisheries under Article 20, paragraph 2, item 1 of the Act are as follows.

- (1) Selection of a mutant
- (2) Backcrossing
- (3) Transformation by genetic engineering
- (4) Cell fusion (limited to asymmetric fusion)

(Plants which Undergo Vegetative Propagation and for which Effect of the Breeder's Right extends to Private Propagation by Farmer)

**Article 16.** The plants designated by the Ordinance of the Ministry of Agriculture, Forestry and Fisheries as being propagated vegetatively under Article 21, paragraph 3 of the Act shall be those belonging to the genus or species listed in Annexed Table 3.

(Genus or Species of Similar Agricultural, Forestry, or Aquatic Plants)

**Article 17.** The genus or species of agricultural, forestry, or aquatic plants specified by the Ordinance of the Ministry of Agriculture, Forestry and Fisheries under Article 22 paragraph 2 of the Act shall be the genus or species of other agricultural, forestry, or aquatic plants to which the registered variety belongs, but in the case when the genus or species of the agricultural, forestry, or aquatic plants to which the registered variety belongs belong to the agricultural, forestry, or aquatic plants listed in Annexed Table 4, shall be the genus or species of the other agricultural, forestry, or aquatic plants which belong to the same denomination search class as the agricultural, forestry, or aquatic plants.

(Written Arbitration Request)

**Article 18.** The request for arbitration of Article 28, paragraph 2 of the Act shall be made by submitting a written request in accordance with Appended Format 9 to the Minister of Agriculture, Forestry, and Fisheries.

(Amount of Registration Fees)

**Article 19.** The amount specified by the Ordinance of the Ministry of Agriculture, Forestry, and Fisheries under Article 45,

paragraph 1 of the Act shall be those listed in the right-hand column of the following table corresponding to the relevant period in the left-hand column of the table.

Period within term	Amount
First year to third year	6000 yen/year
Fourth year to sixth year	9000 yen/year
Seventh year to ninth year	18000 yen/year
Tenth year to thirtieth year	36000 yen/year

2. The registration fees (including the registration surcharge of Article 45, paragraph 8 of the Act) shall be paid by attaching revenue stamps to the written payment of the variety registration fee in accordance with Appended Format 10. However, where a written payment of the variety registration fee is submitted using the electronic data processing system under the same paragraph in accordance with the provision of Article 3, paragraph 1 of the Information and Communications Technology Utilization Act, the fees shall be paid in cash based on the payment information obtained by the submission of the written payment of variety registration fee.
3. When seeking the application of the provisions of Article 13, paragraph 2 of the Act on Promotion of Utilization of Organic Resources Originated from Agriculture, Forestry, or Fisheries as Materials for Biomass Fuels, the written payment of the variety registration fee of the preceding paragraph shall include a statement to that effect and state the certificate number of Article 10 of the Ordinance for the Enforcement of the Act on Promotion of Utilization of Organic Resources Originated from Agriculture, Forestry, or Fisheries as Materials for Biomass Fuels.
4. When seeking the application of the provisions of Article 12, paragraph 2 of the Act on the Promotion of Utilization of New Applications of Rice, the written payment of the variety registration fee of paragraph 2 shall include a statement to that effect and the certificate number of Article 14 of the Enforcement

---

Regulations of the Act on the Promotion of Utilization of New Applications of Rice.

5. When seeking the application of the provisions of Article 17, paragraph 2 of the Act on the Creation of New Businesses by Agriculture, Forestry, or Fishery Persons Utilizing Local Resources and the Promotion of Utilization of Local Agricultural and Marine Products, the written payment of the variety registration fee of paragraph 2 shall include a statement to that effect and state the certificate number of Article 16 of the Enforcement Regulations of the Act on the Creation of New Businesses by Agriculture, Forestry, or Fishery Persons Utilizing Local Resources and Promotion of Utilization of Local Agricultural and Marine Products.
6. When seeking the application of the provisions of Article 42, paragraph 3 of the Act of Special Measures Concerning Reconstruction and Revitalization of Fukushima (Act No. 25 of 2012), the written payment of the variety registration fee of paragraph 2 shall include a statement to that effect and state the certificate number of Article 4 of the Enforcement Regulations of the Act of Special Measures Concerning Reconstruction and Revitalization of Fukushima related to the Ministry of Agriculture, Forestry and Fisheries.

(Method for Implementing Growing Tests of the Registered Variety)

**Article 19-bis.** The provisions of Article 11-bis shall apply mutatis mutandis to the growing tests of Article 47, paragraph 2 of the Act. In this case, "the applied variety" in paragraph 1 of the same Article shall read "registered variety", "Article 15, paragraph 5 of the Act" in paragraph 3 of the same Article shall read "Article 15, paragraph 3 of the Act as applied mutatis mutandis to Article 47, paragraph 3", and "Appended Format 6-bis" shall read "Appended Format 10-bis".

(Procedures for Request of Certificate, etc)

**Article 20.** A person requesting the issuance of the certificate, a transcript or extract of the Registry of Plant Varieties, or an inspection or copy of the application, under Article 53, paragraph 1 of the Act shall submit a request stating the following matters to the Minister of Agriculture, Forestry and Fisheries.

- (1) In the case of an applied variety, the number of the application for variety registration and the name of the applied variety
- (2) In the case of a registered variety, the number of the variety registration and the name of the registered variety
- (3) The name and domicile or residence of the person making the request
- (4) The requested items  
(Amount of Fees)

**Article 21.** The amounts specified by the Ordinance of the Ministry of Agriculture, Forestry, and Fisheries under Article 54, paragraph 1 of the Act are as shown in the following Table.

	Person who shall make payment	Amount
1	Person requesting certificate under the provision of Article 53, paragraph 1, item 1 of the Act	1500 yen / case
2	Person requesting issuance of transcript or extract of the Registry of Plant Varieties under the provision of Article 53, paragraph 1, item 2 of the Act	350 yen / case
3	Person requesting an inspection or copy of the application of the Registry of Plant Varieties under the provision of Article 53, paragraph 1, item 3 of the Act	220 yen / case
4	Person requesting an inspection or copying of the request or photographs or other materials attached to the request under the provision of Article 53, paragraph 1, item 3 of the Act	1100 yen / case

2. The fees shall be paid by revenue stamps attached to the request. However, where the request of the items of Article 53, paragraph 1 of the Act is made using an electronic data processing system prescribed in Article 3, paragraph 1 of the Act on Utilization of Information and Communications Technology, under paragraph 1, the fees shall be paid in cash based on the payment information acquired through the request.

(Indication of Registered Variety)

**Article 21-bis.** The indication of a registered variety under Article 55 of the Act shall include either of the following items.

---

PATRO Information K.K.  
<http://www.patro.co.jp>

- 
- (1) The inscription "registered variety"
  - (2) The inscription of "variety registration" and its number of variety registration  
(Notification by Seed Dealers)

**Article 22.** The notification under Article 58, paragraph 1 of the Act shall be made by submitting a written notification in accordance with Appended Format 21 to the Minister of Agriculture, Forestry and Fisheries.

2. The seed dealers specified by the Ordinance of the Ministry of Agriculture, Forestry and Fisheries in the proviso of Article 58, paragraph 1 of the Act shall be the prefectures and persons who commercially sell the designated seeds solely to persons other than seed dealers.

3. The matter specified by the Ordinance of the Ministry of Agriculture, Forestry and Fisheries under Article 58, paragraph 1, item 3 of the Act shall be a business office address.  
(Indicated Items of Designated Seeds)

**Article 23.** The germination percentage of Article 59, paragraph 1, item 4 of the Act shall be indicated as follows.

(1) When indicating the date of production of Article 59, paragraph 1, item 4 of the Act, the indication shall be done in accordance with the provision of the same paragraph, or, the germination percentage of item 4 shall be indicated as "As of date, Germination Percentage X% or more" with the lowest percentage on the date on which a voucher was attached.

(2) When the time limit of validity of Article 59, paragraph 1, item 4 of the Act is indicated, and, when the indication is done in accordance with the provision of the same paragraph, or when the germination percentage of the same item is indicated with the lowest percentage on the date on which a voucher was attached, the indication shall be done as "As of date, Germination Percentage X% or more".

(3) When the time limit of validity of Article 59, paragraph 1, item 4 of the Act is indicated, and, when the germination percentage of the same item is indicated with the germination percentage to be guaranteed until the time limit of validity, the indication shall be done as "Germination Percentage X% or more".

- 
2. The germination percentage of seeds for homes and gardens (the seeds refer to those sold mainly for homes and gardens), designated by the Minister of Agriculture, Forestry and Fisheries, as prescribed in Article 59, paragraph 1, item 4 of the Act may, notwithstanding the provisions of the preceding paragraph, be indicated by the method specified by the Minister of Agriculture, Forestry, and Fisheries.
  3. The matters specified by the Ordinance of the Ministry of Agriculture, Forestry, and Fisheries under Article 59, paragraph 1, item 6 of the Act are as follows.
    - (1) In the case of seeds of agricultural, forestry, or aquatic plants for use in foods and feed (excluding fruit trees. Hereinafter, referred to as the "agricultural, forestry or aquatic plants for food"), for which agricultural chemicals (the agricultural chemicals listed in the items of the Ministry Ordinance for Specifying Agricultural Chemicals Specified by the Ordinance of the Ministry of Agriculture, Forestry, and Fisheries, and the Ordinance of the Ministry of the Environment under Article 12, paragraph 1 of the Agricultural Chemicals Regulation Act (Ordinance of the Ministry of Agriculture, Forestry, and Fisheries, and the Ministry of the Environment No. 4 of 2000). The same shall apply hereafter.) were used, a statement to that effect and the type of the active ingredients contained in the agricultural chemicals used and the frequency of use of the agricultural chemicals (which refers to the frequency in which the agricultural chemicals comprising the active ingredients were used in the growth period specified in Article 7, paragraph 2, item 4 of the Enforcement Regulations of the Agricultural Chemicals Regulation Act (Ordinance of the Ministry of Agriculture and Forestry No. 21 of 1951) (where the total frequency of use under item 5 of the same paragraph is described on the container or package of the agricultural chemicals, for each class of the period of use or mode of use, the frequency of use for each class))
    - (2) In the case of seeds of agricultural, forestry, or aquatic plants other than the agricultural, forestry or aquatic plants for food, wherein the seeds were subjected to control of pests by agricultural chemicals, a statement to that effect and the type

of the active ingredients contained in the agricultural chemicals used

(3) With regards to the spawn, the date of production and the presence or absence of harmful fungi specified by the Minister of Agriculture, Forestry, and Fisheries  
(Certificate for Identification)

**Article 24.** The certificate of Article 62, paragraph 2 of the Act shall be prepared in accordance with Appended Format 12.

2. The certificate of Article 63, paragraph 4 of the Act shall be prepared in accordance with Appended Format 13.  
(Classes of Collection of Designated Seeds)

**Article 25.** The classes on the basis of which the Minister of Agriculture, Forestry and Fisheries under the provision of Article 63, paragraph 1 of the Act makes the NCSS or the Incorporated administrative agency National Livestock Breeding Center collect the designated seeds from seed dealers in an amount necessary for inspection, are shown in the following Table.

Classes of Designated Seeds	Incorporated administrative agency performing the collection
Grains, beans, potatoes, farm products, vegetables, fruit trees, flowers, and grasses	NCSS
Forage crop	Incorporated administrative agency National Livestock Breeding Center

(Report of Results of Inspection)

**Article 26.** The results of the inspection under Article 63, paragraph 3 of the Act shall be reported to the Minister of Agriculture, Forestry and Fisheries, without delay, at the conclusion of the inspection by submitting a report prepared in accordance with Appended Format 14.

(Report)

**Article 27.** The report under the provisions of Article 6, paragraph 4 of the Enforcement Order of the Plant Variety Protection and

---

Seed Act (Cabinet Order No. 368 of 1998) shall be made without delay, by submitting a document which states the matters listed in item 1 in the case when the designated seeds were collected, the matters listed in item 2 in the case when the report was ordered, and the matters listed in item 3 in the case when the submission of documents was ordered.

- (1) The name and residence of the seed dealer who collected the designated seeds, the time at which the designated seeds were collected and the location where the designated seeds were collected, and the contents and results of the inspection
- (2) The name and residence of the seed dealer who was ordered to make the report and the contents of the report by the seed dealer
- (3) The name and residence of the seed dealer who was ordered to submit the documents and the type of the documents submitted by the seed dealer

(Delegation of Authority)

**Article 28.** Among the authority of the Minister of Agriculture, Forestry and Fisheries under the provisions of Article 59, paragraph 4 and Article 61, paragraph 2 of the Act, the authority concerning seed dealers (excluding those providing business offices within the limits of only one prefectural government to sell the propagating materials of rice, barley, rye, wheat, and soybeans) under Article 2, paragraph 6 of the Act to provide business offices within the jurisdiction of only one Regional Agricultural Administration Office in order to sell the propagating material shall be delegated to the Director general of the Regional Agricultural Administration Office. However, this does not preclude the Minister of Agriculture, Forestry, and Fisheries from performing the authority on his/her own.

2. The authority of the Minister of Agriculture, Forestry and Fisheries (excluding the authority concerning seed dealers under Article 2, paragraph 6 of the Act providing business offices within the limits of only one prefectural government in order to sell the propagating materials of rice, barley, rye, wheat, and soybeans) under the provisions of Article 62 and Article 65 of the Act shall be delegated to the Director general of the Regional Agricultural Administration Office. However, this does not



preclude the Minister of Agriculture, Forestry, and Fisheries from performing the authority on his/her own.

Annexed Table 1 (corresponding to Article 1)

Classification agricultural, forestry, or aquatic plants	Remarks
<i>Abelia</i> R. Br.	Ornamental tree
<i>Abelmoschus esculentus</i> (L.) Moench	Vegetable
<i>Abies sachalinensis</i> (F. Schmidt) Mast.	Forest tree
<i>Abutilon</i> Mill.	Ornamental tree
<i>Acacia</i> Mill. (excluding <i>Acaciacognata</i> )	Ornamental tree
<i>Acaciacognata</i> Domin	Ornamental tree
<i>Acalypha chamaedrifolia</i> (Lam.) Mull. Arg. [ <i>Acalypha reptans</i> Sw.]	Flowering plant
<i>Acalypha wilkesiana</i> Mull. Arg.	Ornamental tree
<i>Acer</i> L.	Ornamental tree
<i>Aconitum</i> L.	Industrial crop
<i>Actinidia</i> Lindl. (excluding <i>Actinida arguta</i> )	Fruit tree
<i>Actinidia arguta</i> (Sieb. & Zucc.) Planch.	Fruit tree
<i>Actinotus</i> Labill.	Flowering plant
<i>Adenium</i> Roem. et Schult.	Ornamental tree
<i>Adiantum</i> L.	Flowering plant
<i>Adonis</i> L.	Flowering plant
<i>Aechmea</i> Ruizet Pav.	Flowering plant
<i>Aeonium</i> Webb & Berthel.	Flowering plant
<i>Aeschynanthus</i> Jack	Flowering plant
<i>Agapanthus</i> L'Her.	Flowering plant
<i>Agaricus bisporus</i> (Lange.) Sing.	Fungus
<i>Agaricus blazei</i> Murrill	Fungus
<i>Agastache</i> Clayt. Ex Gronov.	Flowering plant

	<i>Ageratum</i> L.	Flowering plant
	<i>Agrocybe cylindracea</i> (Fr.) Gill	Fungus
	<i>Agrostis</i> L.	Forage crop
	<i>Ajuga reptans</i> L.	Flowering plant
	<i>Albizia julibrissin</i> Durazz.	Ornamental tree
	<i>Allium caeruleum</i> Pall.	Flowering plant
	<i>Allium caesium</i> Schrenk	Flowering plant
	<i>Allium caesium</i> Schrenk × <i>Allium caeruleum</i> Pall.	Flowering plant
	<i>Allium cepa</i> L.	Vegetable
	<i>Allium chinense</i> G. Don [ <i>Allium bakeri</i> Regel]	Flowering plant
	<i>Allium chinense</i> G. Don × <i>Allium thunbergii</i> G. Don	Flowering plant
	<i>Allium chinense</i> G. Don × <i>Allium virgunculae</i> F. Maek. & Kitam.	Flowering plant
	<i>Allium fistulosum</i> L.	Vegetable
	<i>Allium sativum</i> L.	Vegetable
	<i>Allium schoenoprasum</i> L.	Vegetable
	<i>Allium × proliferum</i> (Moench) Schrad. ex Willd. [ <i>Allium × wakegi</i> ]	Vegetable
	<i>Allium × proliferum</i> (Moench) Schrad. Ex Willd. × <i>Allium fistulosum</i> L. [ <i>Allium × wakegi</i> Araki × <i>Allium fistulosum</i> L.]	Vegetable
	<i>Allium tuberosum</i> Rottler ex Spreng.	Vegetable
	<i>Allium tuberosum</i> Rottler ex Spreng. × <i>Allium victorialis</i> L. var. <i>platyphyllum</i> Makino	Vegetable
	<i>Alocasia</i> (Schott) G. Don	Flowering plant
	<i>Aloe perfoliata</i> L. [ <i>Aloe nobilis</i> Haw.]	Flowering plant
	<i>Alstroemeria</i> L.	Flowering plant
	<i>Alternanthera ficoidea</i> (L.) P. Beauv.	Flowering plant

<i>Alternanthera porrigens</i> Kuntze Revis.	Flowering plant
<i>Amaranthus</i> L.	Food crop
<i>Amorphophallus rivieri</i> Durie [ <i>Amorphophallus konjac</i> C. Koch]	Industrial crop
<i>Anagallis monelli</i> L.	Flowering plant
<i>Ananas comosus</i> (L.) Merr.	Fruit tree
<i>Anemone hupehensis</i> var. Japonica	Flowering plant
<i>Angelica keiskei</i> (Miq.) Koidz.	Vegetable
<i>Angelonia</i> Bonpl.	Flowering plant
<i>Anigozanthos</i> Labill.	Flowering plant
<i>Annona</i> L.	Fruit tree
<i>Anthemis tinctoria</i> L.	Flowering plant
<i>Anthurium</i> Schott	Flowering plant
<i>Antirrhinum</i> L.	Flowering plant
<i>Aphelandra squarrosa</i> Nees	Ornamental tree
<i>Apium graveolens</i> L.	Vegetable
<i>Aptenia</i> N. R. Br.	Flowering plant
<i>Aquilegia</i> L.	Flowering plant
<i>Arachis hypogaea</i> L.	Food crop
<i>Aralia cordata</i> Thunb.	Vegetable
<i>Aralia elata</i> (Miq.) Seem.	Vegetable
<i>Arctium lappa</i> L.	Vegetable
<i>Arctotis</i> L.	Flowering plant
<i>Ardisia crenata</i> Sims	Ornamental tree
<i>Arenaria Montana</i> L.	Flowering plant
<i>Argyranthemum frutescens</i> (L.) Sch. Bip. [ <i>Chrysanthemum frutescens</i> L.]	Flowering plant
<i>Argyranthemum frutescens</i> (L.) Sch. Bip. [ <i>Chrysanthemum frutescens</i> L.] × <i>Chrysanthemum carinatum</i> Schousboe	Flowering plant

<i>Armeria</i> (DC.) Willd.	Flowering plant
<i>Armoracia rusticana</i> P. Gaertn. et al.	Vegetable
<i>Artemisia</i> L.	Industrial crop
<i>Asarina</i> Mill.	Flowering plant
<i>Ascocentrum</i> Schltr. ex J. J. Sm.	Flowering plant
<i>Asparagus</i> L.	Flowering plant
<i>Asparagus officinalis</i> L.	Vegetable
<i>Asplenium</i> L.	Flowering plant
<i>Aster</i> L. (Formerly, <i>Aster tataricus</i> )	Flowering plant
<i>Astilbe</i> Buch.–Ham. ex D. Don	Flowering plant
<i>Astragalus sinicus</i> L.	Forage crop
<i>Astrantia</i> L.	Flowering plant
<i>Athanasia</i> L.	Flowering plant
<i>Athyrium niponicum</i> (Mett.) Hance	Flowering plant
<i>Atractylodes macrocephala</i> Koidz.	Industrial crop
<i>Aucuba japonica</i> Thunb.	Ornamental tree
<i>Auricularia auricula-judae</i> (Fr.) Quel.	Fungus
<i>Auricularia polytricha</i> (Mont.) Sacc.	Fungus
<i>Avena sativa</i> L.	Forage crop
<i>Beaucarnea recurvata</i> Lem. [ <i>Nolina recurvata</i> (Lem.) Hemsl.]	Ornamental tree
<i>Begonia</i> L. (excluding <i>Begonia rhizomatous</i> , <i>Begonia</i> × <i>hiemalis</i> , and <i>Begonia</i> × <i>tuberhybrida</i> )	Flowering plant
<i>Begonia rhizomatous</i> group	Flowering plant
<i>Begonia</i> × <i>hiemalis</i> Fotsch	Flowering plant
<i>Begonia</i> × <i>tuberhybrida</i> Voss	Flowering plant
<i>Belamcanda chinensis</i> (L.) DC.	Flowering plant
<i>Bellis perennis</i> L.	Flowering plant
<i>Benincasa hispida</i> (Thunb.) Cogn.	Vegetable
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>flavescens</i>	Vegetable

DC. F. Crispa [ <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>cicla</i> (L.) Ulrich] [ <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>vulgaris</i> ]	
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>saccharifera</i> Alef.	Industrial crop
<i>Bidens</i> L.	Flowering plant
<i>Bletilla</i> Rchb. f.	Flowering plant
<i>Boronia</i> Sm.	Ornamental tree
<i>Bougainvillea</i> Comm. ex Juss.	Ornamental tree
<i>Bouvardia</i> Salisb.	Ornamental tree
<i>Brassica juncea</i> (L.) Czern.	Vegetable
<i>Brassica napus</i> L.	Industrial crop
<i>Brassica</i> × <i>napus</i> hort.	Vegetable
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef.	Flowering plant
<i>Brassica oleracea</i> L. convar. <i>Acephala</i> (DC.) Alef. var. <i>sabellica</i> L.	Vegetable
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef. var. <i>viridis</i> L.	Forage crop
<i>Brassicaoleracea</i> L.convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i>	Vegetable
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>cymosa</i> Duch. [ <i>Brassica oleracea</i> L. convar. <i>Botrytis</i> (L.) Alef. var. <i>italica</i> Plenck]	Vegetable
<i>Brassica oleracea</i> L. convar. <i>capitata</i> (L.)Alef.	Vegetable
<i>Brassica oleracea</i> L. var. <i>gemmaifera</i> Zenker	Vegetable
<i>Brassica rapa</i> L. ( <i>Brassica rapa</i> (excluding <i>Brassica campestris</i> and <i>Brassica rapa</i> ))	Vegetable
<i>Brassica rapa</i> L. Emend. Metzg. ssp. <i>pekinensis</i> (Lour.) Hanelt	Vegetable
<i>Brassica rapa</i> L. var. <i>rapa</i> (L.) Thell.	Vegetable

[ <i>Brassica rapa</i> L. ssp. <i>rapa</i> ; var. <i>rapifera</i> Metzg.]	
<i>Brachyscome</i> Cass.	Flowering plant
<i>Bromus inermis</i> Leyss.	Forage crop
<i>Brugmansia</i> Pers.	Ornamental tree
<i>Bupleurum falcatum</i> L.	Industrial crop
<i>Caladium</i> Vent.	Flowering plant
<i>Calanthe</i> R. Br.	Flowering plant
<i>Calathea</i> G. F. W. Mey.	Flowering plant
<i>Calycanthus</i> L.	Ornamental tree
<i>Calendula</i> L.	Flowering plant
<i>Calibrachoa</i> Llave & Lex.	Flowering plant
<i>Calibrachoa</i> Llave & Lex. × <i>Petunia</i> Juss.	Flowering plant
<i>Callisia</i> Loefl.	Flowering plant
<i>Callistephus chinensis</i> (L.) Nees (Formerly, aster)	Flowering plant
<i>Camellia</i> L. (excluding <i>Camellia</i> )	Ornamental tree
<i>Camellia sinensis</i> (L.) Kuntze [ <i>Thea sinensis</i> L.]	Industrial crop
<i>Campanula</i> L.	Flowering plant
<i>Campsis grandiflora</i> (Thunb.) K. Schum.	Ornamental tree
<i>Canna</i> L.	Flowering plant
<i>Cannabis sativa</i> L.	Industrial crop
<i>Capsicum annuum</i> L.	Vegetable
<i>Capsicum chinense</i> Jacq.	Vegetable
<i>Carica papaya</i> L.	Fruit tree
<i>Carthamus tinctorius</i> L.	Flowering plant
<i>Caryopteris incana</i> (Thunb. Ex Houtt.) Miq.	Flowering plant
<i>Caryopteris</i> × <i>clandonensis</i> N. W. Simmonds ex Rehder	Flowering plant
<i>Castanea</i> Mill.	Fruit tree

<i>Catharanthus roseus</i> (L.) G. Don [ <i>Vinca rosea</i> L] (Formerly, <i>Vinca</i> )	Flowering plant
<i>Cattleya</i> Group	Flowering plant
<i>Ceanothus</i> L.	Ornamental tree
<i>Celosia</i> L.	Flowering plant
<i>Centaurea</i> L.	Flowering plant
<i>Centaureum</i> Hill	Flowering plant
<i>Ceratostigma willmottianum</i> Stapf.	Flowering plant
<i>Chaenomeles</i> Lindl.	Ornamental tree
<i>Chamaecyparis obtusa</i> (Siebold & Zucc.) Endl.	Forest tree
<i>Chamaecyparis thyoides</i> (L.) Britton et al.	Ornamental tree
<i>Chamaemelum nobile</i> (L.) All. [ <i>Anthemis nobilis</i> L.]	Vegetable
<i>Cheiranthus cheiri</i> L.	Flowering plant
<i>Chimonanthus</i> Lindl.	Ornamental tree
<i>Chlorophytum comosum</i> (Thunb.) Jacques	Flowering plant
<i>Chloris gayana</i> Kunth	Forage crop
<i>Chrysanthemum</i> × <i>morifolium</i> Ramat. [ <i>Dendranthema</i> × <i>grandiflorum</i> Kitam.]	Flowering plant
<i>Chrysanthemum indicum</i> L.	Flowering plant
<i>Chrysanthemum morii</i> Hayata [ <i>Dendranthema morii</i> (Hayata) Kitam.]	Flowering plant
<i>Chrysanthemum occidentali japonense</i> (Kitam.) Kitam.	Flowering plant
<i>Chrysanthemum pacificum</i> Nakai [ <i>Ajania pacifica</i> Bremeret Humphries]	Flowering plant
<i>Chrysanthemum shiwogiku</i> Kitam. [ <i>Dendranthema</i> <i>shiwogiku</i> (Kitam.) Kitam.]	Flowering plant
<i>Chrysanthemum vestitum</i> (Hemsl.) Stapf [ <i>Dendranthema vestitum</i> (Hemsl.) Y. Ling]	Flowering plant
<i>Chrysanthemum yoshinaganthum</i> Makino ex Kitam.	Flowering plant

[ <i>Dendranthema yoshinaganthum</i> (Makino ex Kitam.) Kitam.]	
<i>Cineraria saxifrage</i> DC.	Flowering plant
<i>Cinnamomum camphora</i> (L.) J. S. Presl	Forest tree
<i>Cinnamomum camphora</i> (L.) Sieb. var. <i>glaucescens</i> Kamikoti	Industrial crop
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai	Vegetable
<i>Cirsium</i> Mill. emend. Scop.	Flowering plant
<i>Citrus</i> L.	Fruit tree
<i>Citrus</i> L.	Fruit tree
<i>Citrus</i> L.	Fruit tree
<i>Citrus</i> L.	Fruit tree
<i>Citrus unshiu</i> Marcow.	Fruit tree
<i>Clarkia amoena</i> (Lehm.) A. Nelson & J. F. Macbr. [Godetia Spach] (Formerly, <i>Godetia</i> )	Flowering plant
<i>Clematis</i> L.	Flowering plant
<i>Cleome hassleriana</i> Chodat	Flowering plant
<i>Clerodendrum bungei</i> Steud.	Ornamental tree
<i>Clivia</i> Lindl.	Flowering plant
<i>Codiaeum variegatum</i> (L.) A. Juss.	Ornamental tree
<i>Coix ma-yuen</i> Roman.	Food crop
<i>Coleostephus multicaulis</i> (Desf.) Durieu [Chrysanthemum multicaule Desf.]	Flowering plant
<i>Colocasia</i> Schott	Vegetable
<i>Columnnea</i> L.	Ornamental tree
<i>Commelina</i> L.	Flowering plant
<i>Convolvulus</i> L.	Flowering plant
<i>Coreopsis</i> L.	Flowering plant
<i>Cornus</i> L.	Ornamental tree
<i>Cortaderia selloana</i> (Schult. & Schult. f.) Asch.	Flowering plant



	& Graebn.	
	<i>Cosmos</i> Cav. (excluding <i>Cosmos sulphureus</i> )	Flowering plant
	<i>Cosmos sulphureus</i> Cav.	Flowering plant
	<i>Cosmos atrosanguineus</i> (Hook.) Voss	Flowering plant
	<i>Cotinus coggygria</i> Scop.	Ornamental tree
	<i>Crassula coccinea</i> L. [ <i>Rochea coccinea</i> L. DC.] (Formerly, <i>Rochea coccinea</i> )	Flowering plant
	<i>Crassula ovata</i> (Mill.) Druce [ <i>Crassula portulacea</i> Lam.]	Flowering plant
	<i>Crossandra</i> Salisb.	Flowering plant
	<i>Crowea</i> Sm.	Ornamental tree
	<i>Cryptomeria japonica</i> (L. f.) D. Don	Forest tree
	<i>Cryptotaenia japonica</i> Hassk.	Vegetable
	<i>Cucumis melo</i> L.	Vegetable
	<i>Cucumis sativus</i> L.	Vegetable
	<i>Cucurbita</i> L.	Vegetable
	<i>Cuphea hyssopifolia</i> Kunth	Ornamental tree
	<i>Cupressus</i> L.	Ornamental tree
	<i>Curcuma</i> L.	Flowering plant & Industrial crop
	<i>Cyclamen</i> L.	Flowering plant
	<i>Cymbidium</i> Sw.	Flowering plant
	<i>Cyperus papyrus</i> L.	Flowering plant
	<i>Cytisus</i> L.	Ornamental tree
	<i>Dahlia</i> Cav.	Flowering plant
	<i>Daphne odora</i> Thunb.	Ornamental tree
	<i>Daucus carota</i> L.	Vegetable
	<i>Davidia involucrata</i> Baill.	Ornamental tree
	<i>Dactylis glomerata</i> L.	Forage crop

	<i>Delosperma</i> N. E. Br.	Ornamental tree
	<i>Delphinium</i> L.	Flowering plant
	<i>Consolida</i> Gray	Flowering plant
	<i>Dianella</i> Lam. ex Juss.	Flowering plant
	<i>Dianthus</i> L.	Flowering plant
	<i>Diascia</i> Link & Otto	Flowering plant
	<i>Dicentra</i> Bernh.	Flowering plant
	<i>Dictyophora indusiata</i> (Ventenat:Persoon) Fischer	Fungus
	<i>Dieffenbachia</i> Schott	Flowering plant
	<i>Dionaea muscipula</i> J. Ellis	Flowering plant
	<i>Dioscorea</i> L.	Vegetable
	<i>Diospyros</i> L.	Fruit tree
	<i>Disa</i> Bergius	Flowering plant
	<i>Dendrobium</i> Sw.	Flowering plant
	<i>Dracaena</i> Vand. Ex L.	Ornamental tree
	<i>Cordyline</i> Comm. ex Juss.	Ornamental tree
	<i>Drosera</i> L.	Flowering plant
	<i>Duranta</i> L.	Ornamental tree
	<i>Echinochloa esculenta</i> (A. Braun) H. Scholz [ <i>Echinochloa utilis</i> Ohwi et Yabuno]	Food crop
	<i>Eichhornia crassipes</i> (Mart.) Solms	Flowering plant
	<i>Eleutherococcus senticosus</i> (Rupr. et Maxim) Maxim. [ <i>Acanthopanax senticosus</i> (Rupr. et Maxim. ex Maxim.) Harms]	Industrial crop
	<i>Enkianthus</i> Lour.	Ornamental tree
	<i>Epidendrum</i> L.	Flowering plant
	<i>Epiphyllum</i> Haw.	Flowering plant
	<i>Epipremnum pinnatum</i> (L.) Engl.	Flowering plant

[ <i>Epipremnum aureum</i> (Linden & Andre) G. S. Bunting]	
<i>Eremochloa ophiuroides</i> (Munro) Hack.	Forage crop
<i>Erica</i> L.	Ornamental tree
<i>Eriobotrya</i> Lindl.	Fruit tree
<i>Erythrina crista-galli</i> L.	Ornamental tree
<i>Eryngium</i> L.	Flowering plant
<i>Euonymus fortunei</i> (Turcz.) Hand.-Mazz.	Ornamental tree
<i>Euonymus japonicus</i> Thunb.	Ornamental tree
<i>Euphorbia hypericifolia</i> L. [ <i>Chamaesyce hypericifolia</i> (L.) Millsp.]	Flowering plant
<i>Euphorbia leucocephala</i> Lotsy	Ornamental tree
<i>Euphorbia milii</i> DesMoul.	Flowering plant
<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch	Ornamental tree
<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch × <i>Euphorbia cornastra</i>	Ornamental tree
<i>Eurya emarginata</i> (Thunb.) Makino	Ornamental tree
<i>Euryops</i> (Cass.) Cass.	Flowering plant
<i>Eustoma grandiflorum</i> (Raf.) Shinnors [ <i>Eustoma exaltatum</i> subsp. <i>Russellianum</i> (Hook.) Kartesz] [ <i>Eustoma russellianum</i> (Hook.) G. Don]	Flowering plant
<i>Evolvulus</i> L.	Flowering plant
<i>Exacum</i> L.	Flowering plant
<i>Fagopyrum esculentum</i> Moench	Food crop
<i>Fagopyrum tataricum</i> (L.) Gaertn.	Food crop
× <i>Fatshederal izei</i> (hort. ex Cochet) Guillaumin	Ornamental tree
<i>Felicia</i> Cass.	Flowering plant
<i>Festuca arundinacea</i> Schreb.	Forage crop
<i>Festuca pratensis</i> Huds.	Forage crop
<i>Ficus benjamina</i> L.	Ornamental tree

<i>Ficus carica</i> L.	Fruit tree
<i>Ficus elastica</i> Roxb. ex Hornem.	Ornamental tree
<i>Ficus religiosa</i> L.	Ornamental tree
<i>Ficus sarmentosa</i> Buch.-Ham. ex Sm. var. <i>thunbergii</i> (Maxim.) Corner [ <i>Ficus thunbergii</i> Maxim.]	Ornamental tree
<i>Fittonia</i> Coem.	Flowering plant
<i>Flammulina velutipes</i> (Fr.) Sing.	Fungus
<i>Fortunella</i> Swingle	Fruit tree
<i>Fragaria</i> L.	Vegetable
<i>Freesia</i> Eckl. ex Klatt	Flowering plant
<i>Freesia laxa</i> (Thunb.) Goldblatt & J. C. Manning (Formerly, <i>Lapeirousia laxa</i> )	Flowering plant
<i>Fuchsia</i> L.	Flowering plant
<i>Gaillardia</i> Foug.	Flowering plant
<i>Ganoderma lucidum</i>	Fungus
<i>Gardenia jasminoides</i> J. Ellis	Ornamental tree
<i>Gaura lindheimeri</i> Engl. & Gray	Flowering plant
<i>Gazania</i> Gaertn.	Flowering plant
<i>Gentiana</i> L.	Flowering plant
<i>Geranium</i> L.	Flowering plant
<i>Gerbera</i> L.	Flowering plant
<i>Gladiolus</i> L.	Flowering plant
<i>Glebionis coronaria</i> (L.) Cass. ex Spach [ <i>Chrysanthemum coronarium</i> L.]	Vegetable
<i>Globularia arabica</i> Jaub. et Sp.	Ornamental tree
<i>Gloriosa</i> L.	Flowering plant
<i>Gloxinia</i> L'Her.	Flowering plant
<i>Glechoma hederacea</i> L.	Flowering plant
<i>Glycine max</i> (L.) Merr.	Food crop

	<i>Gomphrena</i> L.	Flowering plant
	<i>Gossypium hirsutum</i> L.	Flowering plant
	<i>Graptopetalum</i> Rose	Flowering plant
	<i>Grifola frondosa</i> (Fr.) S. F. Gray	Fungus
	<i>Guzmania</i> Ruizet Pav.	Flowering plant
	<i>Gypsophila</i> L.	Flowering plant
	<i>Hamamelis</i> L.	Ornamental tree
	<i>Hardenbergia</i> Benth.	Ornamental tree
	<i>Haworthia maughanii</i> Poelln.	Flowering plant
	<i>Haworthia mutica</i> Haw.	Flowering plant
	<i>Hedera</i> L.	Ornamental tree
	<i>Helleborus</i> L.	Flowering plant
	<i>Hemerocallis</i> L.	Flowering plant
	<i>Hericium erinaceum</i> (Bull Fr.) Pers.	Fungus
	<i>Hernandia ovigera</i> L.	Forest tree
	<i>Heuchera</i> L.	Flowering plant
	× <i>Heucherella</i> H. R. Wehrh.	Flowering plant
	<i>Hibiscus</i> L.	Ornamental tree
	<i>Hippeastrum</i> Herb.	Flowering plant
	<i>Helichrysum</i> Mill. corr. Pers.	Flowering plant
	<i>Xerochrysum bracteatum</i> (Vent.) Tzvelev [ <i>Helichrysum bracteatum</i> (Vent.) Andrews] [ <i>Bracteantha bracteata</i> ]	Flowering plant
	<i>Helianthus</i> L.	Flowering plant
	<i>Heliopsis</i> Pers.	Flowering plant
	<i>Heliotropium arborescens</i> L.	Ornamental tree
	<i>Hordeum</i> L.	Food crop
	<i>Hosta</i> Tratt.	Flowering plant
	<i>Hesperozygis</i> Epling	Ornamental tree
	<i>Humulus lupulus</i> L.	Industrial crop

	<i>Hyacinthus</i> L.	Flowering plant
	<i>Hydrangea</i> L.	Ornamental tree
	<i>Dicheroa febrifuga</i> Lour.	Ornamental tree
	<i>Hylocereus undatus</i> (Haw.) Brittonet Rose	Fruit tree
	<i>Hypericum</i> L.	Ornamental tree
	<i>Hypsizygus marmoreus</i> (Peck) Bigelow	Fungus
	<i>Hypsizygus ulmarium</i> (Bulliard:Fries) Redhed	Fungus
	<i>Ilex dimorphophylla</i> Koidz.	Ornamental tree
	<i>Ilex pedunculosa</i> Miq.	Ornamental tree
	<i>Illicium anisatum</i> L.	Ornamental tree
	<i>Impatiens</i> L. (excluding <i>New Guinea impatiens</i> and <i>Impatiens walleriana</i> ).	Flowering plant
	<i>Impatiens</i> New Guinea Group	Flowering plant
	<i>Impatiens walleriana</i> Hook. f.	Flowering plant
	<i>Imperata cylindrical</i> (L.) P. Beauv.	Flowering plant
	<i>Ipomoea batatas</i> (L.) Lam.	Food crop
	<i>Ipomoea nil</i> (L.) Roth [ <i>Pharbitis nil</i> (L.) Choisy]	Flowering plant
	<i>Ipomoea purpurea</i> (L.) Roth	Flowering plant
	<i>Ipomoea tricolor</i> Cav.	Flowering plant
	<i>Iresine</i> P. Browne	Flowering plant
	<i>Iris</i> L.	Flowering plant
	<i>Iris</i> L.	Flowering plant
	<i>Iris</i> L. (excluding bearded irises, bulbous irises, and Japanese iris)	Flowering plant
	<i>Iris laevigata</i> Fisch.	Flowering plant
	<i>Isotoma axillaris</i> Lindl.	Flowering plant
	<i>Jasminum</i> L.	Ornamental tree
	<i>Juglans</i> L.	Fruit tree
	<i>Juncus effusus</i> L.var. <i>decipiens</i> Buchenau	Industrial crop

<i>Juniperus chinensis</i> L.	Ornamental tree
<i>Justicia brandegeana</i> Wassh. & L. B. Sm. [ <i>Beloperone guttata</i> Brandegee]	Ornamental tree
<i>Kalanchoe</i> Adans (excluding <i>Kalanchoe blossfeldiana</i> ).	Flowering plant
<i>Kalanchoe blossfeldiana</i> Poelln.	Flowering plant
<i>Kalmia</i> L.	Ornamental tree
<i>Lactuca sativa</i> L.	Vegetable
<i>Lagenaria siceraria</i> (Molina) Standl.	Vegetable
<i>Lagerstroemia</i> L.	Ornamental tree
<i>Lamium maculatum</i> L.	Flowering plant
<i>Lantana</i> L.	Ornamental tree
<i>Larix</i> Mill.	Forest tree
<i>Lathyrus odoratus</i> L.	Flowering plant
<i>Laurus nobilis</i> L.	Ornamental tree
<i>Lavandula</i> L.	Industrial crop
<i>Lechenaultia</i> R. Br.	Ornamental tree
<i>Lentinus edodes</i> (Berk.) Sing.	Fungus
<i>Lepista nuda</i> (Bulliard:Fries) Cooke	Fungus
<i>Lepista sordida</i> (Schumacher:Fries) Singer	Fungus
<i>Leucanthemum maximum</i> (Ramond) DC. [ <i>Chrysanthemum maximum</i> Ram.]	Flowering plant
<i>Lewisia cotyledon</i> (S.Watson) B. L. Rob.	Flowering plant
<i>Liatris</i> Gaertn. ex Schreb.	Flowering plant
<i>Lilium</i> L.	Flowering plant
<i>Limonium</i> Mill.	Flowering plant
<i>Linaria</i> Mill.	Flowering plant
<i>Lithodora diffusa</i> (Lag.) I. M. Johnst.	Ornamental tree
<i>Lobelia</i> L.	Flowering plant
<i>Lolium</i> × <i>boucheanum</i> Kunth	Forage crop

<i>Lolium multiflorum</i> Lam. ssp. <i>italicum</i> (A. Br.) Volkart	Forage crop
<i>Lolium perenne</i> L.	Forage crop
<i>Lomandra longifolia</i>	Flowering plant
<i>Lonicera caerulea</i> L. subsp. <i>edulis</i> (Turcz.) Hulten var. <i>emphylocalyx</i> (Maxim.) Nakai	Fruit tree
<i>Leptospermum scoparium</i> J. R. Forst. & G. Forst.	Ornamental tree
<i>Luculia</i> Sweet	Ornamental tree
<i>Lycaste</i> Lindl.	Flowering plant
<i>Lychnis</i> L.	Flowering plant
<i>Lycoris</i> Herb.	Flowering plant
<i>Lyophyllum decastes</i> (Fr.) Sing.	Fungus
<i>Lyophyllum shimeji</i> (Kawamura) Hongo	Fungus
<i>Macrocybe gigantea</i> (Masse) Pegler & Lodge [ <i>Tricholoma giganteum</i> Masse]	Fungus
<i>Magnolia</i> L.	Ornamental tree
<i>Malpighia emarginata</i> DC.	Fruit tree
<i>Malus</i> Mill.	Fruit tree
<i>Mandevilla</i> Lindl.	Ornamental tree
<i>Mangifera indica</i> L.	Fruit tree
<i>Matthiola incana</i> (L.) R. Br.	Flowering plant
<i>Mecardonia</i> Ruizet Pav.	Flowering plant
<i>Medicago</i> L.	Forage crop
<i>Melampodium leucanthum</i> Torr. & A. Gray [ <i>Melampodium paludosum</i> Kunth]	Flowering plant
<i>Melastoma</i> L.	Ornamental tree
<i>Tibouchina</i> Aubl.	Ornamental tree
<i>Melia azedarach</i> L.	Ornamental tree
<i>Mentha</i> L.	Industrial crop
<i>Meripilus giganteus</i> (Persoon:Fries) Karten	Fungus



<i>Metasequoia glyptostroboides</i> Huet Cheng	Forest tree
<i>Miltonia</i> Group	Flowering plant
<i>Mirabilis jalapa</i> L.	Flowering plant
<i>Miyamayomena savatieri</i> (Makino) Kitam [ <i>Gymnaster savatieri</i> Makino Kitam.]	Flowering plant
<i>Momordica charantia</i> L.	Vegetable
<i>Monarda didyma</i> L.	Flowering plant
<i>Morus</i> L.	Industrial crop
<i>Muehlenbeckia complexa</i> (A. Cunn.) Meisn.	Flowering plant
<i>Mycoleptodonoides aitchisonii</i> (Berkeley) Maas Geesteranus	Fungus
<i>Naematoloma sublateritium</i> (Fr.) Karst.	Fungus
<i>Nandina domestica</i> Thunb.	Ornamental tree
<i>Narcissus</i> L.	Flowering plant
<i>Nelumbo nuifera</i> Gaertn	Vegetable
<i>Nemacystus decipiens</i> (Suringar) Kuckcuk	Marine plant
<i>Nemesia</i> Vent.	Flowering plant
<i>Neofinetia</i> Hu	Flowering plant
<i>Nerine</i> Herb.	Flowering plant
<i>Nerium</i> L.	Ornamental tree
<i>Nicotiana</i> L.	Industrial crop
<i>Nierembergia</i> Ruizet Pav.	Flowering plant
<i>Nigella damascena</i> L.	Flowering plant
<i>Nolana</i> L.	Flowering plant
<i>Nymphaea</i> L.	Flowering plant
<i>Ocimum basilicum</i> L.	Vegetable
<i>Odontoglossum</i> Group	Flowering plant
<i>Oenanthe javanica</i> (Blume) DC.	Vegetable
<i>Oenothera</i> L.	Flowering plant
<i>Oncidium</i> Group	Flowering plant

	<i>Onoseris hyssopifolia</i> Kunth	Flowering plant
	<i>Ophiopogon japonicus</i> (L. f.) Ker Gawl.	Flowering plant
	<i>Ophiopogon planiscapus</i> Nakai	Flowering plant
	<i>Oplismenus</i> P. Beauv.	Flowering plant
	<i>Ornithogalum</i> L.	Flowering plant
	<i>Oryza sativa</i> L.	Food crop
	<i>Osteospermum</i> L.	Flowering plant
	<i>Oxalis</i> L.	Flowering plant
	<i>Oxypetalum caeruleum</i> (D. Don) Decne.	Flowering plant
	<i>Pachira aquatica</i> Aubl.	Ornamental tree
	<i>Paeonia lactiflora</i> Pall.	Flowering plant
	<i>Paeonia officinalis</i> L.	Flowering plant
	<i>Paeonia suffruticosa</i> Andrews	Ornamental tree
	<i>Panax ginseng</i> C. A. Mey.	Industrial crop
	<i>Panellus serotinus</i> (Fr.) kuhn	Fungus
	<i>Panicum coloratum</i> L.	Forage crop
	<i>Panicum maximum</i> Jacq.	Forage crop
	<i>Paspalum dilatatum</i> Poir.	Forage crop
	<i>Paspalum notatum</i> Flugge	Forage crop
	<i>Passiflora caerulea</i> L.	Flowering plant
	<i>Passiflora coccinea</i> Aubl.	Flowering plant
	<i>Passiflora edulis</i> Sims	Fruit tree
	<i>Pelargonium</i> L'Her. ex Ait. (excluding <i>Pelargonium grandiflorum</i> and <i>Pelargonium geranium</i> )	Flowering plant
	<i>Pelargonium grandiflorum</i> (Andrews) Willd. [ <i>Pelargonium domesticum</i> L. H. Bailey]	Flowering plant
	<i>Pelargonium</i> Zonale Group [ <i>Pelargonium × hortorum</i> L. H. Bailey]	Flowering plant
	<i>Pelargonium peltatum</i> (L.) L'Her.	Flowering plant
	<i>Pelargonium peltatum</i> × <i>Pelargonium</i>	Flowering plant

	<i>zonale-Hybridae</i>	
	<i>Penstemon heterophyllus</i> Lindl.	Flowering plant
	<i>Pentas</i> Benth.	Flowering plant
	<i>Perilla</i> L.	Vegetable
	<i>Petasites japonicus</i> (Siebold & Zucc.) Maxim.	Vegetable
	<i>Petroselinum crispum</i> (Mill.) Nym. exA. W. Hill	Vegetable
	<i>Petunia</i> Juss.	Flowering plant
	<i>Petunia</i> Juss. × <i>Calibrachoa</i> Llave & Lex.	Flowering plant
	<i>Phalaenopsis</i> Group	Flowering plant
	<i>Phaseolus coccineus</i> L.	Food crop
	<i>Phaseolus vulgaris</i> L.	Food crop
	<i>Phedimus aizoon</i> (L.) 't Hart [ <i>Sedum aizoon</i> L. var. <i>floribundum</i> Nakai] [ <i>Sedum kamtschaticum</i> Fischer]	Flowering plant
	<i>Philodendron</i> Schott	Flowering plant
	<i>Phleum pratense</i> L.	Forage crop
	<i>Pholiota adiposa</i> (Fr.) kummer	Fungus
	<i>Pholiota nameko</i> (T. Ito) S. Ito et Imai	Fungus
	<i>Phlox</i> L. (excluding <i>Phylox paniculata</i> )	Flowering plant
	<i>Phlox paniculata</i> L.	Flowering plant
	<i>Phormium</i> J. R. Forst. & G. Forst.	Flowering plant
	<i>Photinia</i> Lindl.	Ornamental tree
	<i>Phyla</i> Lour. [ <i>Lippia</i> L.]	Flowering plant
	<i>Physalis</i> L.	Vegetable
	<i>Physocarpus</i> (Cambess.) Maxim.	Ornamental tree
	<i>Pieris japonica</i> (Thunb.) D. Donex G. Don	Ornamental tree
	<i>Pinus densiflora</i> Siebold & Zucc.	Forest tree
	<i>Pinus thunbergii</i> Parl.	Forest tree
	<i>Pistia stratiotes</i> L.	Flowering plant

<i>Pisumsativum</i> L.	Plant for food
<i>Pityrodia terminalis</i> (Endl.) A. S. George	Ornamental tree
<i>Plectranthus</i> L'Her.	Flowering plant
<i>Pleurotus cornucopiae</i> (Pers.) Rolland.	Fungus
<i>Pleurotuscystidiosus</i> O.K.Mill.	Fungus
<i>Pleurotus cystidiosus</i> subsp. <i>abalonus</i>	Fungus
<i>Pleurotus eryngii</i> (DcexFr.) Quel.	Fungus
<i>Pleurotus ostreatus</i> (Fr.) Quel.	Fungus
<i>Pleurotus pulmonarius</i> (Fr.) Quel.	Fungus
<i>Platycodon grandiflorus</i> (Jacq.) A. DC.	Flowering plant
<i>Polygonatum</i> Mill.	Flowering plant
<i>Polyscias scutellaria</i> (Burm.f.) Fosberg [ <i>Polyscias balfourriana</i> (hort. ex Sander) L. H. Bailey] (Formerly, <i>Polyscias balfourriana</i> )	Ornamental tree
<i>Poapratensis</i> L.	Forage crop
<i>Podocarpus macrophyllus</i> (Thunb.) D. Don	Forest tree
<i>Polyporus tuberaster</i> (Jacquinox Persoon) Fries	Fungus
<i>Poncirus</i> Raf.	Fruit tree
<i>Ponerorchis graminifolia</i> Rchb.f.	Flowering plant
<i>Populus</i> L.	Forest tree
<i>Porphyra tenera</i> Kjellman	Marine plant
<i>Porphyra yezoensis</i> Ueda	Marine plant
<i>Portulaca grandiflora</i> Hook	Flowering plant
<i>Portulaca oleracea</i> L.	Flowering plant
<i>Pratia pedunculata</i> (R. Br.) F. Muell. ex Benth.	Flowering plant
<i>Primula</i> L. (excluding <i>Primula sieboldii</i> )	Flowering plant
<i>Primula sieboldii</i> E.Morr	Flowering plant
<i>Protea cynaroides</i> L.	Ornamental tree
<i>Parthenocissus</i> Planch.	Ornamental tree
<i>Prunus</i> L.	Ornamental tree

<i>Prunus armeniaca</i> L.	Fruit tree
<i>Prunus avium</i> (L.) L.	Fruit tree
<i>Prunus mume</i> Siebold & Zucc.	Fruit tree
<i>Prunus persica</i> (L.) Batsch	Fruit tree
<i>Prunus persica</i> (L.) Batsch var. <i>Nucipersica</i> (Suckow) C. K. Schneid.	Fruit tree
<i>Prunus salicina</i> Lindl.	Fruit tree
<i>Prunus tomentosa</i> Thunb.	Fruit tree
<i>Pseudocydonia</i> (C. K. Schneid.) C. K. Schneid.	Fruit tree
<i>Psophocarpus tetragonolobus</i> (L.) DC.	Food crop
<i>Pyrus communis</i> L.	Fruit tree
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai var. <i>culta</i> (Mak.) Nakai	Fruit tree
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai var. <i>culta</i> (Mak.) Nakai × <i>Pyrus suriensis</i> Maxim. var. <i>sinensis</i> Kikuchi	Fruit tree
<i>Ranunculus</i> L.	Flowering plant
<i>Raphanus sativus</i> L.	Vegetable
<i>Raphanus sativus</i> L. var. <i>sativus</i>	Vegetable
<i>Raphanus sativus</i> × <i>Brassica rapa</i>	Vegetable
<i>Rehmannia glutinosa</i> (Gaertn.) Libosch. Turcz.	Industrial crop
<i>Rhaphiolepis</i> Lindl.	Ornamental tree
<i>Rhapis</i> L. f. et Ait.	Ornamental tree
<i>Rheum</i> L.	Industrial crop
<i>Rhodanthe</i> Lindl. [ <i>Helipterum</i> DC. ( <i>Aaroclinium</i> )]	Flowering plant
<i>Rhododendron</i> L.	Ornamental tree
<i>Rhodohypoxis baurii</i> (Baker) Nel	Flowering plant
<i>Rivina humilis</i> L.	Ornamental tree
<i>Rosa</i> L.	Ornamental tree

<i>Rosmarinus officinalis</i> L.	Industrial crop
<i>Rubus</i> L.	Fruit tree
<i>Rudbeckia</i> L.	Flowering plant
<i>Rumohra adiantiformis</i> (G. Forst.) Ching	Flowering plant
<i>Saccharum</i> L.	Industrial crop
<i>Sagittaria sagittifolia</i> L. subsp. <i>leucopetala</i> (Miq.) Hartog [ <i>Sagittaria trifolia</i> var. <i>edulis</i> (Sieboldex Miq.) Ohwi]	Vegetable
<i>Saintpaulia</i> H. Wendl.	Flowering plant
<i>Salvia</i> L.	Flowering plant
<i>Sandersonia aurantiaca</i> Hook.	Flowering plant
<i>Sanguisorba</i> L.	Flowering plant
<i>Santolina</i> L.	Flowering plant
<i>Sanvitalia</i> Lam.	Flowering plant
<i>Sapium sebiferum</i> (L.) Roxb.	Ornamental tree
<i>Sarcandra glabra</i> (Thunb.) Nakai [ <i>Chloranthus glaber</i> Mak.]	Ornamental tree
<i>Saxifraga fortunei</i> var <i>incisolobata</i> (Engl. et Irmsch.) Nakai	Flowering plant
<i>Saxifraga rosacea</i> Moench.	Flowering plant
<i>Scabiosa</i> L.	Flowering plant
<i>Scaevola aemula</i> R. Br.	Flowering plant
<i>Schefflera elegantissima</i> (Veitch) Lowry & Frodin [ <i>Dizygotheca elegantissima</i> (Veitch) R. Vig. & Guillaumin] (Formerly, <i>Dizygotheca elegantissima</i> )	Ornamental tree
<i>Schlumbergera</i> Lem. [ <i>Zygocactus</i> K. Schum.]	Flowering plant
<i>Schisandra nigra</i> Maxim	Fruit tree
<i>Scoparia</i> L.	Flowering plant

<i>Scutellaria costaricana</i> H. Wendl.	Flowering plant
<i>Selaginella</i> P. Beauv.	Flowering plant
<i>Senecio cruentus</i> (Masson ex L'Her.) DC. [ <i>Senecio</i> × <i>hybridus</i> Hyl.]	Flowering plant
<i>Senecio macroglossus</i> DC.	Flowering plant
<i>Serruria</i> Salisb.	Ornamental tree
<i>Sesamum indicum</i> L.	Industrial crop
<i>Setaria italica</i> (L.) P. Beauv.	Food crop
<i>Sidalcea malviflora</i> (DC.) A. Gray ex Benth.	Flowering plant
<i>Silene</i> L.	Flowering plant
<i>Sinningia speciosa</i> (G. Lodd.) Hiern (Formerly, <i>gloxinia</i> )	Flowering plant
<i>Skimmia japonica</i> Thunb.	Ornamental tree
<i>Smallanthus sonchifolius</i> (Poepp. & Endl.) H. Rob.	Vegetable
<i>Symphoricarpos</i> Duham.	Ornamental tree
<i>Solanum</i> L. (excluding tomato and potato)	Vegetable
<i>Solanum lycopersicum</i> L.	Vegetable
<i>Solanum tuberosum</i> L.	Food crop
<i>Solenostemon</i> Thonn. [ <i>Coleus</i> Lour.]	Flowering plant
× <i>Solidaster luteus</i> (Everett) M. L. Green ex Dress	Flowering plant
<i>Solidago</i> L.	Flowering plant
<i>Sonerila</i> Roxb.	Ornamental tree
<i>Sorbus commixta</i> Hedl.	Ornamental tree
<i>Sparassis crispa</i> Wulf.:Fr.	Fungus
<i>Spinacia oleracea</i> L.	Vegetable
<i>Spiraea</i> L.	Ornamental tree
<i>Spathiphyllum</i> Schott	Flowering plant
<i>Sorghum</i> Moench	Forage crop
<i>Stevia rebaudiana</i> (Bertoni) Bertoni	Industrial crop

<i>Stewartia</i> L.	Ornamental tree
<i>Strelitzia</i> Ait.	Flowering plant
<i>Streptocarpus</i> Lindl.	Flowering plant
<i>Styrax japonicus</i> Siebold & Zucc.	Ornamental tree
<i>Sutera</i> Roth	Flowering plant
<i>Swertia</i> L.	Industrial crop
<i>Syngonanthus chrysanthus</i> (Bong.) Ruhland	Flowering plant
<i>Tabernaemontana divaricata</i> (L.) R. Br. ex Roem. & Schult. [ <i>Ervatamiacoronaria</i> (Jacq.) Stapf]	Ornamental tree
<i>Tacca chantrieri</i> Andre	Flowering plant
<i>Tagetes</i> L.	Flowering plant
<i>Tanacetum parthenium</i> (L.) Sch. Bip. [ <i>Chrysanthemum parthenium</i> (L.) Ber-nh.]	Flowering plant
<i>Taxus</i> L.	Ornamental tree
<i>Tecoma</i> Juss.	Ornamental tree
<i>Thuja occidentalis</i> L.	Ornamental tree
<i>Thuja orientalis</i> L.	Ornamental tree
<i>Thujopsis dolabrata</i> (L.f.) Siebold & Zucc.	Ornamental tree
<i>Thunbergia</i> Retz.	Flowering plant
<i>Tiarella</i> L.	Flowering plant
<i>Tillandsia</i> L. (Formerly, <i>Tillandsia</i> )	Flowering plant
<i>Torenia</i> L.	Flowering plant
<i>Trachelium caeruleum</i> L.	Flowering plant
<i>Tradescantia spathacea</i> Sw.	Flowering plant
<i>Trifolium pratense</i> L.	Forage crop
<i>Trifolium repens</i> L.	Forage crop
<i>Tricyrtis</i> Wall.	Flowering plant
<i>Triticum aestivum</i> L.	Food crop
<i>Tropaeolum majus</i> L.	Flowering plant



<i>Tulipa</i> L.	Flowering plant
<i>Ulmus parvifolia</i> Jacq.	Forest tree
<i>Vaccinium</i> L. (excluding <i>bracteatum</i> )	Fruit tree
<i>Vaccinium bracteatum</i> Thunb.	Ornamental tree
<i>Vanda</i> Jones	Flowering plant
<i>Verbena</i> L.	Flowering plant
<i>Veronica</i> L.	Flowering plant
<i>Vicia faba</i> L.	Food crop
<i>Vigna angularis</i> (Willd.) Ohwi & H. Ohashi [ <i>Phaseolus angularis</i> (Willd.) W. Wight]	Food crop
<i>Vinca</i> L. (Formerly, <i>Vinca major</i> L. form)	Flowering plant
<i>Viola</i> L.	Flowering plant
<i>Viola</i> L.	Flowering plant
<i>Vitis</i> L.	Fruit tree
<i>Vriesea</i> Lindl.	Flowering plant
<i>Wahlenbergia procumbens</i> (Thunb.) A. DC.	Flowering plant
<i>Wahlenbergia undulata</i> (L. f.) A. DC.	Flowering plant
<i>Wasabia japonica</i> (Miq.) Matsum.	Vegetable
<i>Weigela</i> Thunb.	Ornamental tree
<i>Wisteria</i> Nutt.	Ornamental tree
<i>Wrightia antidysenterica</i> (L.) R. Br.	Ornamental tree
<i>Zamioculcas zamiifolia</i> (Lodd.) Engl.	Flowering plant
<i>Zantedes chia</i> Spreng.	Flowering plant
<i>Zeamays</i> L.	Forage crop
<i>Zingiber officinale</i> Roscoe	Vegetable
<i>Zinnia</i> L.	Flowering plant
<i>Zoysia</i> Willd.	Forage crop
× <i>Zygonisia</i> hort. [ <i>Zygopetalum</i> × <i>Aganisia</i> ]	Flowering plant
<i>Zygopetalum</i> Group	Flowering plant

Annexed Table 2 (Corresponding to Article 5)

Name
<i>Abelia</i> R. Br.
<i>Abelmoschus esculentus</i> (L.) Moench
<i>Abies sachalinensis</i> (F. Schmidt) Mast.
<i>Abutilon</i> Mill.
<i>Acacia</i> Mill.
<i>Acacia cognata</i> Domin
<i>Acalypha chamaedrifolia</i> (Lam.) Mull. Arg. [ <i>Acalyphareptans</i> Sw.]
<i>Acalypha wilkesiana</i> Mull. Arg.
<i>Acer</i> L.
<i>Achillea</i> L.
<i>Achillea ptarmica</i> L.
<i>Aconitum</i> L.
<i>Actinidia</i> Lindl.
<i>Actinidia arguta</i> (Sieb. & Zucc.) Planch.
<i>Actinotus helianthi</i> Labill.
<i>Adenium</i> Roem. et Schult.
<i>Adiantum</i> L.
<i>Adonis</i> L.
<i>Aechmea</i> Ruizet Pav.
<i>Aeonium</i> Webb & Berthel.
<i>Aeschynanthus</i> Jack
<i>Agapanthus</i> L'Her.
<i>Agaricu sbisporus</i> (Lange.) Sing.
<i>Agaricus blazei</i> Murrill
<i>Agastache</i> Clayt. ex Gronov.

<i>Ageratum</i> L.
<i>Aglaonema</i> Schott.
<i>Agroclybe cylindracea</i> (Fr.) Gill.
<i>Agrostis</i> L.
<i>Agrostis canina</i> L.
<i>Agrostis stolonifera</i> L.
<i>Ajuga reptans</i> L.
<i>Albizia julibrissin</i> Durazz.
<i>Allium caeruleum</i> Pall.
<i>Allium caesium</i> Schrenk
<i>Allium caesium</i> Schrenk × <i>Allium caeruleum</i> Pall.
<i>Allium cepa</i> L.
<i>Allium chinense</i> G. Don [ <i>Allium bakeri</i> Regel]
<i>Allium chinense</i> G. Don × <i>Allium thunbergii</i> G. Don
<i>Allium chinense</i> G. Don × <i>Allium virgunculae</i> F. Maek. & Kitam.
<i>Allium fistulosum</i> L.
<i>Allium</i> × <i>proliferum</i> (Moench) Schrad. ex Willd. × <i>Allium fistulosum</i> L. [ <i>Allium</i> × <i>wakegi</i> Araki × <i>Allium fistulosum</i> L.]
<i>Allium</i> × <i>proliferum</i> (Moench) Schrad. ex Willd. [ <i>Allium</i> × <i>wakegi</i> ]
<i>Allium sativum</i> L.
<i>Alliumschoenoprasum</i> L.
<i>Allium tuberosum</i> Rottlerex Spreng.
<i>Allium tuberosum</i> Rottler ex Spreng. × <i>Allium victorialis</i> L. var. <i>platyphyllum</i> Makino
<i>Alocasia</i> (Schott) G. Don
<i>Aloeperfoliata</i> L. [ <i>Aloenobilis</i> Haw.]

<i>Alstroemeria</i> L.
<i>Alternanthera ficoidea</i> (L.) P. Beauv.
<i>Alternanthera porrigens</i> Kuntze Revis.
<i>Amaranthus</i> L.
<i>Amorphophallus rivieri</i> Durieu [ <i>Amorphophallus konjac</i> C. Koch]
<i>Anagallis monelli</i> L.
<i>Ananas comosus</i> (L.) Merr.
<i>Anemone hupehensis</i> var. <i>Japonica</i>
<i>Angelica keiskei</i> (Miq.) Koidz.
<i>Angelonia</i> Humb. et Bonpl.
<i>Anigozanthos</i> Labill.
<i>Annona</i> L.
<i>Anthemis tinctoria</i> L.
<i>Anthurium</i> Schott
<i>Antirrhinum</i> L.
<i>Aphelandra squarrosa</i> Nees
<i>Apios americana</i> Medik.
<i>Apium graveolens</i> L.
<i>Aptenia cordifolia</i> (L. f.) Schwant.
<i>Aquilegia</i> L.
<i>Arabidopsis</i> Heynh.
<i>Arachis hypogaea</i> L.
<i>Aralia cordata</i> Thunb.
<i>Aralia elata</i> (Miq.) Seem.
<i>Arctium lappa</i> L.
<i>Arctotis</i> L.
<i>Ardisia crenata</i> Sims
<i>Ardisia japonica</i> (Thunb.) Blume

<i>Arenaria montana</i> L.
<i>Argyranthemum frutescens</i> (L.) Sch. Bip. [ <i>Chrysanthemum frutescens</i> L.]
<i>Argyranthemum frutescens</i> (L.) Sch. Bip. × <i>Chrysanthemum carinatum</i> Schousboe
<i>Argyranthemum frutescens</i> (L.) Sch. Bip. × <i>Glebionis coronaria</i> (L.) Cass. ex Spach
<i>Armeria</i> (DC.) Willd.
<i>Armoracia rusticana</i> P. Gaertn. et al.
<i>Artemisia</i> L.
<i>Asarina</i> Mill.
<i>Ascocentrum</i> Schltr. ex J. J. Sm.
<i>Asparagus</i> L.
<i>Asparagus officinalis</i> L.
<i>Asplenium</i> L.
<i>Asplenium antiquum</i> Makino
<i>Asplenium nidus</i> L.
<i>Aster</i> L.
<i>Astilbe</i> Buch.-Ham. ex D. Don
<i>Astragalus sinicus</i> L.
<i>Astrantia</i> L.
<i>Athanasia crithmifolia</i> (L.) L.
<i>Athyrium niponicum</i> (Mett.) Hance
<i>Atractylodes macrocephala</i> Koidz.
<i>Aucuba japonica</i> Thunb.
<i>Auricularia auricula-judae</i> (Fr.) Quel.
<i>Auricularia polytricha</i> (Mont.) Sacc.
<i>Avenasativa</i> L.
<i>Beaucarnea recurvata</i> Lem. [ <i>Nolina recurvata</i> (Lem.) Hemsl.]

<i>Begonia</i> L.
<i>Begonia rhizomatous</i> group
<i>Begonia</i> × <i>hiemalis</i> Fotsch
<i>Begonia</i> × <i>semperflorens-cultorum</i> H. K. Krauss
<i>Begonia</i> × <i>tuberhybrida</i> Voss
<i>Belamcanda chinensis</i> (L.) DC.
<i>Bellis perennis</i> L.
<i>Benincasa hispida</i> (Thunb.) Cogn.
<i>Berberis thunbergii</i> DC.
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>flavescens</i> DC. f. <i>Crispa</i> [ <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>cicla</i> (L.) Ulrich] [ <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>vulgaris</i> ]
<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>saccharifera</i> Alef.
<i>Bidens</i> L.
<i>Bletilla</i> Rchb. f.
<i>Boronia</i> Sm.
<i>Bougainvillea</i> Comm. ex Juss.
<i>Bouvardia</i> Salisb.
<i>Brassica juncea</i> (L.) Czern.
<i>Brassica juncea</i> (L.) Czern. × <i>Brassica rapa</i> L. Emend. Metzg. ssp. <i>pekinensis</i> (Lour.) Hanelt
<i>Brassica napus</i> L.
<i>Brassica</i> × <i>napus hort.</i>
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef.
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef. var. <i>sabellica</i> L.
<i>Brassica oleracea</i> L. convar. <i>acephala</i> (DC.) Alef. var. <i>viridis</i> L.
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>botrytis</i>
<i>Brassica oleracea</i> L. convar. <i>botrytis</i> (L.) Alef. var. <i>cymosa</i>

Duch.

[*Brassica oleracea* L. convar. *botrytis* (L.) Alef. var. *italica* Plenck]

*Brassica oleracea* L. convar. *botrytis* (L.) Alef. var. *cymosa* Duch.  
× *Brassica oleracea* L. convar. *acephala* (DC.) Alef. var. *sabellica* L.

*Brassica oleracea* L. convar. *capitata* (L.) Alef.

*Brassica oleracea* L. convar. *capitata* (L.) Alef. × *Brassica oleracea* L. convar. *acephala* (DC.) Alef. var. *sabellica* L.

*Brassica oleracea* L. var. *gemmifera* Zenker

*Brassica oleracea* L. var. *gemmifera* Zenker × *Brassica oleracea* L. convar. *acephala* (DC.) Alef. var. *sabellica* L.

*Brassica rapa* L. Emend. Metzg. ssp. *pekinensis* (Lour.) Hanelt

*Brassica rapa* L.

*Brassica rapa* L. var. *rapa* (L.) Thell.

[*Brassica rapa* L. ssp. *rapa*; var. *rapifera* Metzg.]

*Brachyscome* Cass.

*Breynia* J. R. Forst. et G. Forst. nom. Cons.

*Brighamia insignis* A. Gray

*Bromus inermis* Leyss.

*Brugmansia* Pers.

*Brunnera* Steven.

*Buddleja davidii* Franch.

*Bupleurum falcatum* L.

*Caladium* Vent.

*Calanthe* R. Br.

*Calathea* G. F. W. Mey.

*Calycanthus* L.

*Calendula* L.

*Calibrachoa* Llave & Lex.

*Calibrachoa* Llave & Lex. × *Petunia* Juss.

<i>Callisia</i> Loefl.
<i>Callistephus chinensis</i> (L.) Nees
<i>Campanula</i> L.
<i>Campsis grandiflora</i> (Thunb.) K. Schum.
<i>Canna</i> L.
<i>Cannabis sativa</i> L.
<i>Capsicum</i> L.
<i>Carex</i> L.
<i>Carica papaya</i> L.
<i>Carthamus tinctorius</i> L.
<i>Caryopteris incana</i> (Thunb. exHoutt.) Miq.
<i>Caryopteris</i> × <i>clandonensis</i> N. W. Simmonds ex Rehder
<i>Castanea</i> Mill.
<i>Catharanthus roseus</i> (L.) G. Don [ <i>Vincarosea</i> L]
<i>Cattleya</i> Group
<i>Ceanothus</i> L.
<i>Celosia</i> L.
<i>Centaurea</i> L.
<i>Centaurium</i> Hill
<i>Ceratanthus calcaratus</i> (Hemsl.) G. Taylor
<i>Ceratostigma willmottianum</i> Stapf.
<i>Cereus peruvianus auct. pl.</i>
<i>Chaenomeles</i> Lindl.
<i>Cheiranthus cheiri</i> L.
<i>Chimonanthus</i> Lindl.
<i>Chionanthus</i> L.
<i>Chlorophytum comosum</i> (Thunb.) Jacques
<i>Chlorisgayana</i> Kunth



<i>Chamaecyparis obtusa</i> (Siebold & Zucc.) Endl.
<i>Chamaecyparis thyoides</i> (L.) Britton et al.
<i>Chamaemelum nobile</i> (L.) All. [ <i>Anthemis nobilis</i> L.]
<i>Chasmanthium latifolium</i> (Michx.) H. O. Yates
<i>Chrysanthemum fruticulosum</i> (Ledeb.) Ohashi et Yonekura × <i>Chrysanthemum</i> × <i>morifolium</i> Ramat.
<i>Chrysanthemum indicum</i> L.
<i>Chrysanthemum indicum</i> L. × <i>Erigeron annuus</i> (L.) Pers.
<i>Chrysanthemum lavandulifolium</i> (Fisch. ex Trautv.) Makino × <i>Chrysanthemum</i> × <i>morifolium</i> Ramat.
<i>Chrysanthemum</i> × <i>morifolium</i> Ramat. [ <i>Dendranthema</i> × <i>grandiflorum</i> (Ramat.) Kitam.]
<i>Chrysanthemum morii</i> Hayata [ <i>Dendranthema morii</i> (Hayata) Kitam.]
<i>Chrysanthemum occidentali-japonense</i> (Kitam.) Kitam.
<i>Chrysanthemum occidentali-japonense</i> (Kitam.) Kitam. × <i>Chrysanthemum</i> × <i>morifolium</i> Ramat.
<i>Chrysanthemum pacificum</i> Nakai [ <i>Ajania pacifica</i> Bremer et Humphries]
<i>Chrysanthemum pacificum</i> Nakai × <i>Chrysanthemum</i> × <i>morifolium</i> Ramat.
<i>Chrysanthemum shiwogiku</i> Kitam. [ <i>Dendranthema shiwogiku</i> (Kitam.) Kitam.]
<i>Chrysanthemum shiwogiku</i> Kitam. × <i>Chrysanthemum vestitum</i> (Hemsl.) Stapf
<i>Chrysanthemum vestitum</i> (Hemsl.) Stapf [ <i>Dendranthema vestitum</i> (Hemsl.) Y. Ling]
<i>Chrysanthemum yoshinaganthum</i> Makino ex Kitam. [ <i>Dendranthema yoshinaganthum</i> (Makino ex Kitam.) Kitam.]
<i>Cineraria saxifraga</i> DC.
<i>Cinnamomum camphora</i> (L.) J. S. Presl

<i>Cinnamomum camphora</i> (L.) Sieb. var. <i>glaucescens</i> Kamikoti
<i>Cirsium</i> Mill. emend. Scop.
<i>Citrus</i> L.
<i>Citrus</i> L. × <i>Fortunella</i> Swingle
<i>Citrus limon</i> (L.) Burm. f.
<i>Citrus</i> × <i>paradisi</i> Macfad.
<i>Citrus reticulate</i> Blanco
<i>Citrus sinensis</i> (L.) Osbeck
<i>Citrus unshiu</i> Marcow.
<i>Clarkia amoena</i> (Lehm.) A. Nelson & J. F. Macbr. [ <i>Godetia</i> Spach]
<i>Clematis</i> L.
<i>Cleome hassleriana</i> Chodat
<i>Clerodendrum bungei</i> Steud.
<i>Clivia</i> Lindl.
<i>Camellia</i> L.
<i>Camellia sasanqua</i> Thunb.
<i>Camellia sinensis</i> (L.) Kuntze [ <i>Thea sinensis</i> L.]
<i>Codiaeum variegatum</i> (L.) A. Juss.
<i>Coix ma-yuen</i> Roman.
<i>Coleostephus multicaulis</i> (Desf.) Durieu [ <i>Chrysanthemum multicaule</i> Desf.]
<i>Colocasia</i> Schott
<i>Columnea</i> L.
<i>Commelina communis</i> L.
<i>Commelina communis</i> L. var. <i>hortensis</i> Makino
<i>Consolida</i>
<i>Convolvulus</i> L.
<i>Cordyline</i> Comm. ex Juss.

<i>Coreopsis</i> L.
<i>Cornus</i> L.
<i>Cortaderia selloana</i> (Schult. & Schult. f.) Asch. & Graebn.
<i>Cosmos</i> Cav.
<i>Cosmos atrosanguineus</i> (Hook.) Voss
<i>Cosmos sulphureus</i> Cav.
<i>Cotinus coggygria</i> Scop.
<i>Crassula coccinea</i> L. [ <i>Rochea coccinea</i> L. DC.]
<i>Crassula ovata</i> (Mill.) Druce [ <i>Crassula portulacaealam.</i> ]
<i>Crossandra infundibuliformis</i> (L.) Nees
<i>Crowea</i> Sm.
<i>Cryptomeria japonica</i> (L. f.) D. Don
<i>Cryptotaenia japonica</i> Hassk.
<i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai
<i>Cucumis melo</i> L.
<i>Cucumis sativus</i> L.
<i>Cucurbita</i> L.
<i>Cuphea hyssopifolia</i> Kunth
<i>Cupressus</i> L.
<i>Curcuma</i> L.
<i>Curcuma longa</i> L.
<i>Cyclamen</i> L.
<i>Cymbalaria muralis</i> G. Gaertn. et al.
<i>Cymbidium</i> Sw.
<i>Cyperus papyrus</i> L.
<i>Cytisus</i> L.
<i>Dahlia</i> Cav.
<i>Daphne odora</i> Thunb.

<i>Daucus carota</i> L.
<i>Davidia involucrata</i> Baill.
<i>Dactylis glomerata</i> L.
<i>Delosperma</i> N. E. Br.
<i>Delphinium</i> L.
<i>Dianella</i> Lam. ex Juss.
<i>Dianthus</i> L.
<i>Dianthus caryophyllus</i> L.
<i>Diascia</i> Link & Otto
<i>Dicentra</i> Bernh.
<i>Dichroa febrifuga</i> Lour.
<i>Dictyophora indusiata</i> (Ventenat:Persoon) Fischer
<i>Dieffenbachia</i> Schott
<i>Digitalis dubia</i> Rodr.
<i>Dionaea muscipula</i> J. Ellis
<i>Dionysia aretioides</i> Boiss.
<i>Dioscorea</i> L.
<i>Diospyros</i> L.
<i>Disa</i> Bergius
<i>Dendrobium</i> Sw.
<i>Dracaena</i> Vand. ex L.
<i>Drosera</i> L.
<i>Duranta erecta</i> L. [ <i>Duranta repens</i> L.]
<i>Echinacea</i> Moench.
<i>Echinacea purpurea</i> (L.) Moench
<i>Echinochloa esculenta</i> (A. Braun) H. Scholz [ <i>Echinochloa utilis</i> Ohwiet Yabuno]
<i>Eichhornia crassipes</i> (Mart.) Solms
<i>Eleutherococcus senticosus</i> (Rupr. et Maxim.) Maxim.

[*Acanthopanax senticosus* (Rupr. et Maxim. ex Maxim.) Harms]

*Enkianthus* Lour.

*Epidendrum* L.

*Epiphyllum* Haw.

*Epipremnum pinnatum* (L.) Engl.

[*Epipremnum aureum* (Linden & Andre) G. S. Bunting]

*Eremochloa ophiuroides* (Munro) Hack.

*Eremophila* R. Br.

*Erica* L.

*Eriobotrya* Lindl.

*Erythrina crista-galli* L.

*Eryngium* L.

*Euonymus fortunei* (Turcz.) Hand.-Mazz.

*Euonymus japonicus* Thunb.

*Euphorbia* L.

*Euphorbia guiehgola* W. R. Buck & Huft

*Euphorbia hypericifolia* L.

[*Chamaesyce hypericifolia* (L.) Millsp.]

*Euphorbia leucocephala* Lotsy

*Euphorbia milii* DesMoul.

*Euphorbia pulcherrima* Willd. ex Klotzsch × *Euphorbia cornastra*

*Euphorbia pulcherrima* Willd. ex Klotzsch

*Euryae marginata* (Thunb.) Makino

*Euryops* (Cass.) Cass.

*Eustoma grandiflorum* (Raf.) Shinnars

[*Eustoma exaltatum* subsp. *russellianum* (Hook.) Kartesz]

[*Eustoma russellianum* (Hook.) G. Don]

*Evolvulus* L.

*Exacum* L.

*Fagopyrum esculentum* Moench

<i>Fagopyrum tataricum</i> (L.) Gaertn.
× <i>Fatshedera lizei</i> (hort. ex Cochet) Guillaumin
<i>Felicia</i> Cass.
<i>Festuca arundinacea</i> Schreb.
<i>Festuca ovina</i> L.
<i>Festuca pratensis</i> Huds.
× <i>Festulolium</i> Aschers. et Graebn.
<i>Ficus benjamina</i> L.
<i>Ficus binnendijkii</i> Miq.
<i>Ficus carica</i> L.
<i>Ficus elastica</i> Roxb. ex Hornem.
<i>Ficus pumila</i> L.
<i>Ficus religiosa</i> L.
<i>Ficus sarmentosa</i> Buch.–Ham. ex Sm. var. <i>thunbergii</i> (Maxim.) Corner [ <i>Ficus thunbergii</i> Maxim.]
<i>Fittonia</i> Coem.
<i>Flammulina velutipes</i> (Fr.) Sing.
<i>Fortunella</i> Swingle
<i>Fragaria</i> L.
<i>Freesia</i> Eckl. ex Klatt
<i>Freesia laxa</i> (Thunb.) Goldblatt & J. C. Manning
<i>Fuchsia</i> L.
<i>Gaillardia</i> Foug.
<i>Ganoderma lucidum</i>
<i>Gardenia jasminoides</i> J. Ellis
<i>Gaura lindheimeri</i> Engl. & Gray
<i>Gazania</i> Gaertn.
<i>Gentiana</i> L.
<i>Geranium</i> L.

<i>Gerbera</i> L.
<i>Gladiolus</i> L.
<i>Glebionis coronaria</i> (L.) Cass. ex Spach [ <i>Chrysanthemum coronarium</i> L.]
<i>Glechoma hederacea</i> L.
<i>Globularia arabica</i> Jaub. et Sp.
<i>Gloriosa</i> L.
<i>Gloxinia</i> L'Her.
<i>Glycine max</i> (L.) Merr.
<i>Glycyrrhiza uralensis</i> Fisch. ex DC.
<i>Gomphrena</i> L.
<i>Goodenia ovata</i> Sm.
<i>Gossypium arboreum</i> L.
<i>Gossypium hirsutum</i> L.
<i>Grammatophyllum</i> Blume
<i>Graptopetalum paraguayense</i> (N. E. Br.) E. Walther. [ <i>Sedum weinbergii</i> (hort. ex T. B. Shepherd) A. Berger]
<i>Grifola frondosa</i> (Fr.) S. F. Gray
<i>Guzmania</i> Ruiz et Pav.
<i>Gypsophila</i> L.
<i>Hamamelis</i> L.
<i>Hardenbergia</i> Benth.
<i>Haworthia maughanii</i> Poelln.
<i>Haworthia mutica</i> Haw.
<i>Hebe</i> Comm. ex Juss.
<i>Hedera</i> L.
<i>Helleborus</i> L.
<i>Hemerocallis</i> L.
<i>Hericium erinaceum</i> (Bull Fr.) Pers.
<i>Hernandia ovigera</i> L.

<i>Heuchera</i> L.
× <i>Heucherella</i> H. R. Wehrh.
<i>Hibiscus</i> L.
<i>Hippeastrum</i> Herb.
<i>Helichrysum</i> Mill. corr. Pers.
<i>Helianthus</i> L.
<i>Heliopsis</i> Pers.
<i>Heliotropium arborescens</i> L.
<i>Hordeum</i> L.
<i>Hosta</i> Tratt.
<i>Hesperozygis</i> Epling
<i>Humulus lupulus</i> L.
<i>Hyacinthus</i> L.
<i>Hydrangea</i> L.
<i>Hylocereus undatus</i> (Haw.) Brittonet Rose
<i>Hypericum</i> L.
<i>Hypsizygos marmoreus</i> (Peck) Bigelow
<i>Hypsizygos ulmarium</i> ( Bulliard:Fries) Redhed
<i>Ilex dimorphophylla</i> Koidz.
<i>Ilex pedunculosa</i> Miq.
<i>Illicium anisatum</i> L.
<i>Impatiens</i> L.
<i>Impatiens balsamina</i> L.
<i>Impatiens</i> New Guinea Group
<i>Impatiens walleriana</i> Hook. f.
<i>Imperata cylindrica</i> (L.) P. Beauv.
<i>Ipomoea batatas</i> (L.) Lam.
<i>Ipomoea nil</i> (L.) Roth [ <i>Pharbitis nil</i> (L.) Choisy]



<i>Ipomoea purpurea</i> (L.) Roth
<i>Ipomoea tricolor</i> Cav.
<i>Iresine</i> P. Browne
<i>Iris</i> L.
<i>Iris laevigata</i> Fisch.
<i>Isotoma axillaris</i> Lindl.
<i>Jasminum</i> L.
<i>Juglans</i> L.
<i>Juncus effusus</i> L. var. <i>decipiens</i> Buchenau
<i>Juniperus chinensis</i> L.
<i>Justicia brandegeana</i> Wassh. & L. B. Sm. [ <i>Beloperone guttata</i> Brandegee]
<i>Kalanchoe</i> Adans.
<i>Kalmia</i> L.
<i>Kniphofia</i> Moench
<i>Lactuca sativa</i> L.
<i>Lagenaria siceraria</i> (Molina) Standl.
<i>Lagerstroemia</i> L.
<i>Lamium maculatum</i> L.
<i>Lantana</i> L.
<i>Larix</i> Mill.
<i>Lathyrus odoratus</i> L.
<i>Laurus nobilis</i> L.
<i>Lavandula</i> L.
<i>Lechenaultia</i> R. Br.
<i>Lentinus edodes</i> (Berk.) Sing.
<i>Lepista nuda</i> (Bulliard:Fries) Cooke
<i>Lepista sordida</i> (Schumacher:Fries) Singer
<i>Leucanthemum maximum</i> (Ramond) DC. [ <i>Chrysanthemum maximum</i> Ram.]

<i>Leucothoe fontanesiana</i> (Steud.) Sleumer
<i>Lewisia cotyledon</i> (S.Watson) B. L. Rob.
<i>Liatris</i> Gaertn. ex Schreb.
<i>Libertia ixioides</i> (G. Forst.) Spreng.
<i>Ligustrum japonicum</i> Thunb.
<i>Lilium</i> L.
<i>Limonium</i> Mill.
<i>Linaria</i> Mill.
<i>Liriope</i> Lour.
<i>Litchi chinensis</i> Sonn.
<i>Lithodora diffusa</i> (Lag.) I. M. Johnst.
<i>Lobelia</i> L.
<i>Lobularia</i> Desv.
<i>Lolium</i> × <i>boucheanum</i> Kunth
<i>Lolium multiflorum</i> Lam. ssp. <i>italicum</i> (A. Br.) Volkart
<i>Lolium perenne</i> L.
<i>Lomandra longifolia</i>
<i>Lonicera caerulea</i> L. subsp. <i>edulis</i> (Turcz.) Hulten var. <i>emphylocalyx</i> (Maxim.) Nakai
<i>Lophomyrtus</i> Burret
<i>Leptospermum</i> J. R. Forst. & G. Forst.
<i>Luculia</i> Sweet
<i>Lycaste</i> Lindl.
<i>Lychnis</i> L.
<i>Lycopersicon peruvianum</i> (L.) Mill.
<i>Lycoris</i> Herb.
<i>Lyophyllum decastes</i> (Fr.) Sing.
<i>Lyophyllum shimeji</i> (Kawamura) Hongo
<i>Macrocybe gigantea</i> (Masse) Pegler & Lodge [ <i>Tricholoma giganteum</i> Masse]

<i>Magnolia</i> L.
<i>Malcolmia</i> W. T. Aiton
<i>Malpighia emarginata</i> DC.
<i>Malus</i> Mill.
<i>Mandevilla</i> Lindl.
<i>Mangifera indica</i> L.
<i>Matthiola incana</i> (L.) R. Br.
<i>Maytenus diversifolia</i> (Maxim.) Ding Hou
<i>Mecardonia</i> Ruizet Pav.
<i>Medicago</i> L.
<i>Melampodium leucanthum</i> Torr.& A. Gray [ <i>Melampodium paludosum</i> Kunth]
<i>Melastoma</i> L.
<i>Melia azedarach</i> L.
<i>Mentha</i> L.
<i>Meripilus giganteus</i> (Persoon:Fries) Karten
<i>Metasequoia glyptostroboides</i> Huet Cheng
<i>Miltonia</i> Group
<i>Mirabilis jalapa</i> L.
<i>Miscanthus</i> Anderss.
<i>Miscanthus oligostachyus</i> Stapf
<i>Miyamayomena savatieri</i> (Makino) Kitam. [ <i>Gymnaster savatieri</i> Makino Kitam.]
<i>Momordicacharantia</i> L.
<i>Monarda didyma</i> L.
<i>Morus</i> L.
<i>Muehlenbeckia</i> Meissn.
<i>Musa acuminata</i> Colla
<i>Mycoleptodonoides aitchisonii</i> (Berkeley) Maas Geesteranus
<i>Myosotis</i> L.

<i>Naematoloma sublateritium</i> (Fr.) Karst.
<i>Nandina domestica</i> Thunb.
<i>Narcissus</i> L.
<i>Nelumbo nucifera</i> Gaertn.
<i>Nemacystus decipiens</i> (Suringar) Kuckcuk
<i>Nemesia</i> Vent.
<i>Neofinetia</i> Hu
<i>Nerine</i> Herb.
<i>Nerium</i> L.
<i>Nicotiana</i> L.
<i>Nierembergia</i> Ruizet Pav.
<i>Nigella damascena</i> L.
<i>Nolana</i> L.
<i>Nymphaea</i> L.
<i>Ocimum basilicum</i> L.
<i>Odontoglossum</i> Group
<i>Oenanthe javanica</i> (Blume) DC.
<i>Oenothera</i> L.
<i>Oncidium</i> Group
<i>Onoseris hyssopifolia</i> Kunth
<i>Ophiopogon japonicus</i> (L. f.) Ker Gawl.
<i>Ophiopogon planiscapus</i> Nakai
<i>Oplismenus</i> P. Beauv.
<i>Origanum</i> L.
<i>Ornithogalum</i> L.
<i>Oryza sativa</i> L.
<i>Osteospermum</i> L.
<i>Oxalis</i> L.
<i>Oxypetalum caeruleum</i> (D. Don) Decne.

<i>Pachira aquatica</i> Aubl.
<i>Paeonia lactiflora</i> Pall.
<i>Paeonia officinalis</i> L.
<i>Paeonia suffruticosa</i> Andrews
<i>Panax ginseng</i> C. A. Mey.
<i>Panellus serotinus</i> (Fr.) kuhn
<i>Panicum coloratum</i> L.
<i>Panicum maximum</i> Jacq.
<i>Paspalum dilatatum</i> Poir.
<i>Paspalum notatum</i> Flugge
<i>Passiflora caerulea</i> L.
<i>Passiflora coccinea</i> Aubl.
<i>Passiflora edulis</i> Sims
<i>Paulownia</i> Sieb. et Zucc.
<i>Petunia</i> Juss. × <i>Calibrachoa</i> Llave & Lex.
<i>Pelargonium</i> L'Her. ex Ait.
<i>Pelargonium grandiflorum</i> (Andrews) Willd. [ <i>Pelargonium</i> × <i>domesticum</i> L. H. Bailey]
<i>Pelargonium peltatum</i> (L.) L'Her.
<i>Pelargonium peltatum</i> × <i>Pelargonium zonale</i> -Hybridae
<i>Pelargonium zonale</i> Group [ <i>Pelargonium</i> × <i>hortorum</i> L. H. Bailey]
<i>Pennisetum setaceum</i> (Forssk.) Chiov.
<i>Penstemon</i> Schmidel.
<i>Pentas</i> Benth.
<i>Peperomia</i> Ruizet Pav.
<i>Persicaria capitata</i> (Buch.-Ham. exD. Don) H. Gross
<i>Perilla</i> L.
<i>Perovskia</i> Kar.
<i>Petasites japonicus</i> (Siebold & Zucc.) Maxim.

<i>Petasites tatewakianus</i> Kitam.
<i>Petroselinum crispum</i> (Mill.) Nym. ex A. W. Hillssp. <i>crispum</i>
<i>Petunia</i> Juss.
<i>Phalaenopsis</i> Group
<i>Phaseolus coccineus</i> L.
<i>Phaseolus vulgaris</i> L.
<i>Phedimus aizoon</i> (L.) 't Hart [ <i>Sedum aizoon</i> L. var. <i>floribundum</i> Nakai] [ <i>Sedum kamtschaticum</i> Fischer]
<i>Philodendron</i> Schott
<i>Phleum pratense</i> L.
<i>Pholiota adiposa</i> (Fr.) kummer
<i>Pholiota nameko</i> (T. Ito) S. Ito et Imai
<i>Phlox</i> L.
<i>Phlox paniculata</i> L.
<i>Phormium</i> J. R. Forst. & G. Forst.
<i>Photinia</i> Lindl.
<i>Phygelius</i> E. Mey.
<i>Phyla canescens</i> (Kunth) Greene [ <i>Lippia canescens</i> Kunth] [ <i>Lippia filiformis</i> Schrad.] [ <i>Phyla filiformis</i> (Schrad.) Meikle]
<i>Phyla canescens</i> (Kunth) Greene × <i>Phylanodiflora</i> (L.) Greene [ <i>Lippia canescens</i> Kunth × <i>Lippianodiflora</i> (L.) Michx.]
<i>Phyla nodiflora</i> (L.) Greene [ <i>Lippia nodiflora</i> (L.) Michx.]
<i>Physalis</i> L.
<i>Physocarpus</i> (Cambess.) Maxim.
<i>Pieris japonica</i> (Thunb.) D. Don ex G. Don
<i>Pinus densiflora</i> Siebold & Zucc.
<i>Pinu sparviflora</i> Siebold & Zucc.

<i>Pinus thunbergii</i> Parl.
<i>Pistia stratiotes</i> L.
<i>Pisum sativum</i> L.
<i>Pityrodia terminalis</i> (Endl.) A. S. George
<i>Plectranthus</i> L'Her.
<i>Pleurotus cornucopiae</i> (Pers.) Rolland.
<i>Pleurotus cystidiosus</i> O. K. Mill.
<i>Pleurotus cystidiosus</i> subsp. <i>abalonus</i>
<i>Pleurotus eryngii</i> (Dcex Fr.) Quel.
<i>Pleurotus ostreatus</i> (Fr.) Quel.
<i>Pleurotus pulmonarius</i> (Fr.) Quel.
<i>Platycodon grandiflorus</i> (Jacq.) A. DC.
<i>Polygonatum</i> Mill.
<i>Polyscias scutellaria</i> (Burm. f.) Fosberg [ <i>Polyscias balfouriana</i> (hort. ex. Sander) L. H. Bailey]
<i>Poa pratensis</i> L.
<i>Podocarpus macrophyllus</i> (Thunb.) D. Don
<i>Polyporus tuberaster</i> (Jacquin ex Persoon) Fries
<i>Poncirus</i> Raf.
<i>Ponerorchis graminifolia</i> Rchb. f.
<i>Populus</i> L.
<i>Porphyra haitanensis</i> Changet Zheng
<i>Porphyra tenera</i> Kjellman
<i>Porphyra tenera</i> Kjellman × <i>Porphyra yezoensis</i> Ueda
<i>Porphyra yezoensis</i> Ueda
<i>Portulaca grandiflora</i> Hook.
<i>Portulaca oleracea</i> L.
<i>Pratia pedunculata</i> (R. Br.) F. Muell. ex Benth.
<i>Primula</i> L.

<i>Primula sieboldii</i> E. Morren
<i>Protea cynaroides</i> L.
<i>Parthenocissus</i> Planch.
<i>Prunella</i> L.
<i>Prunus</i> L.
<i>Prunus armeniaca</i> L.
<i>Prunus avium</i> (L.) L.
<i>Prunus domestica</i> L.
<i>Prunus mume</i> Siebold & Zucc.
<i>Prunus persica</i> (L.) Batsch
<i>Prunus persica</i> (L.) Batsch var. <i>nucipersica</i> (Suckow) C. K. Schneid.
<i>Prunus salicina</i> Lindl.
<i>Prunus salicina</i> Lindl. × <i>Prunus mume</i> Siebold & Zucc.
<i>Prunus tomentosa</i> Thunb.
<i>Pseudocydonia</i> (C. K. Schneid.) C. K. Schneid.
<i>Psophocarpus tetragonolobus</i> (L.) DC.
<i>Pyrus communis</i> L.
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai var. <i>culta</i> (Mak.) Nakai
<i>Pyrus pyrifolia</i> (Burm. f.) Nakai var. <i>culta</i> (Mak.) Nakai × <i>Pyrus ussuriensis</i> Maxim. var. <i>sinensis</i> Kikuchi
<i>Ranunculus</i> L.
<i>Raphanus sativus</i> L.
<i>Raphanus sativus</i> L. var. <i>sativus</i>
<i>Rehmannia glutinosa</i> (Gaertn.) Libosch. Turcz.
<i>Rhaphiolepis</i> Lindl.
<i>Rhapis</i> L. f. ex Ait.
<i>Rheum</i> L.
<i>Rhipsalidopsis</i> Britton & Rose
<i>Rhodanthe</i> Lindl.



[ <i>Helipterum</i> DC. ( <i>Aaroclinium</i> )]
<i>Rhodanthemum</i> (Vogt.) B. H. Wilcox et al.
<i>Rhododendron</i> L.
<i>Rhodohypoxis baurii</i> (Baker) Nel
<i>Rhynchospora colorata</i> (L.) H. Pfeiffer
<i>Rivina humilis</i> L.
<i>Rosa</i> L.
<i>Rosmarinus officinalis</i> L.
<i>Rubus</i> L.
<i>Rubus idaeus</i> L.
<i>Rubus trifidus</i> Thunb.
<i>Rudbeckia</i> L.
<i>Rumohra adiantiformis</i> (G. Forst.) Ching
<i>Ruscus aculeatus</i> L.
<i>Saccharum</i> L.
<i>Sagittaria sagittifolia</i> L. subsp. <i>leucopetala</i> (Miq.) Hartog [ <i>Sagittaria trifolia</i> var. <i>edulis</i> (Siebold ex Miq.) Ohwi]
<i>Saintpaulia</i> H. Wendl.
<i>Salix gracilistyla</i> Miq.
<i>Salvia</i> L.
<i>Sambucus nigra</i> L.
<i>Sandersonia aurantiaca</i> Hook
<i>Sanguisorba</i> L.
<i>Sanguisorba officinalis</i> L.
<i>Santolina</i> L.
<i>Sanvitalia</i> Lam.
<i>Sapium sebiferum</i> (L.) Roxb.
<i>Sarcandra glabra</i> (Thunb.) Nakai [ <i>Chloranthus glaber</i> Mak.]
<i>Saxifraga fortunei</i> var. <i>incisolobata</i> (Engl. et Irmsch.) Nakai

<i>Saxifraga rosacea</i> Moench.
<i>Scabiosa</i> L.
<i>Scaevola aemula</i> R. Br.
<i>Schefflera elegantissima</i> (Veitch) Lowry & Frodin [ <i>Dizygotheca elegantissima</i> (Veitch) R. Vig. & Guillaumin]
<i>Schlumbergera</i> Lem. [ <i>Zygocactus</i> K. Schum.]
<i>Schisandra nigra</i> Maxim
<i>Scoparia</i> L.
<i>Scutellaria costaricana</i> H. Wendl.
<i>Sedum</i> L.
<i>Selaginella</i> P.Beauv.
<i>Sempervivum</i> L.
<i>Senecio cruentus</i> (Massonex L'Her.) DC. [ <i>Senecio</i> × <i>hybridus</i> Hyl.]
<i>Senecio macroglossus</i> DC.
<i>Serruria</i> Salisb.
<i>Sesamum indicum</i> L.
<i>Setaria italica</i> (L.) P. Beauv.
<i>Sidalcea malviflora</i> (DC.) A. Grayex Benth.
<i>Silene</i> L.
<i>Sinningia speciosa</i> (G. Lodd.) Hiern
<i>Skimmia japonica</i> Thunb.
<i>Smallanthus sonchifolius</i> (Poepp. & Endl.) H. Rob.
<i>Symphoricarpos</i> Duham.
<i>Solanum</i> L.
<i>Solanum lycopersicum</i> L.
<i>Solanum melongena</i> L.
<i>Solanum muricatum</i> Aiton
<i>Solanum tuberosum</i> L.

<i>Solenostemon</i> Thonn. [ <i>Coleus</i> Lour.]
× <i>Solidaster luteus</i> (Everett) M. L. Greenex Dress
<i>Solidago</i> L.
<i>Sonerila</i> Roxb.
<i>Sorbus commixta</i> Hedl.
<i>Sparassis crispa</i> Wulf.:Fr.
<i>Spinacia oleracea</i> L.
<i>Spiraea</i> L.
<i>Spiraea japonica</i> L.f.
<i>Spiraea thunbergii</i> Sieboldex Blume
<i>Spathiphyllum</i> Schott
<i>Sorghum</i> Moench
<i>Stevia rebaudiana</i> (Bertoni) Bertoni
<i>Stewartia</i> L.
<i>Strelitzia</i> Ait.
<i>Streptocarpus</i> Lindl.
<i>Stromanthe sanguinea</i> (Hook.) Sond.
<i>Styrax japonicus</i> Siebold & Zucc.
<i>Sutera</i> Roth
<i>Swertia</i> L.
<i>Syngonanthus chrysanthus</i> (Bong.) Ruhland
<i>Tabernaemontana divaricata</i> (L.) R. Br. ex Roem. & Schult. [ <i>Ervatamia coronaria</i> (Jacq.) Stapf]
<i>Tacca chantrieri</i> Andre
<i>Tagetes</i> L.
<i>Tanacetum parthenium</i> (L.) Sch. Bip. [ <i>Chrysanthemum parthenium</i> (L.) Bernh.]
<i>Taxus</i> L.
<i>Tecoma</i> Juss.

<i>Thuja occidentalis</i> L.
<i>Thuja orientalis</i> L.
<i>Thuja plicata</i> Donn. ex D. Don
<i>Thujopsis dolabrata</i> (L. f.) Siebold & Zucc.
<i>Thunbergia</i> Retz.
<i>Tiarella</i> L.
<i>Tibouchina</i> Aubl.
<i>Tillandsia</i> L.
<i>Torenia</i> L.
<i>Trachelium caeruleum</i> L.
<i>Trachelospermum asiaticum</i> Nakai
<i>Tradescantia spathacea</i> Sw.
<i>Trifolium pratense</i> L.
<i>Trifolium repens</i> L.
<i>Tricyrtis</i> Wall.
<i>Triticum aestivum</i> L.
<i>Tropaeolum majus</i> L.
<i>Tulipa</i> L.
<i>Ulmus parvifolia</i> Jacq.
<i>Uncinia rubra</i> Colensoex Boott
<i>Vaccinium</i> L.
<i>Vaccinium bracteatum</i> Thunb.
<i>Vanda</i> Jones
<i>Verbena</i> L.
<i>Veronica</i> L.
<i>Viburnum plicatum</i> var. <i>tomentosum</i> Miq.
<i>Viciafaba</i> L.
<i>Vigna angularis</i> (Willd.) Ohwi & H. Ohashi [ <i>Phaseolus angularis</i> (Willd.) W. Wight]

<i>Vinca</i> L.
<i>Viola</i> L.
<i>Vitex agnus-castus</i> L.
<i>Vitis</i> L.
<i>Vriesea</i> Lindl.
<i>Wahlenbergia procumbens</i> (Thunb.) A. DC.
<i>Wahlenbergia undulata</i> (L.f.) A. DC.
<i>Wasabia japonica</i> (Miq.) Matsum.
<i>Weigela</i> Thunb.
<i>Wisteria</i> Nutt.
<i>Wrightia antidysenterica</i> (L.) R. Br.
<i>Xerochrysum bracteatum</i> (Vent.) Tzvelev [ <i>Helichrysum bracteatum</i> (Vent.) Andrews] [ <i>Bracteantha bracteata</i> ]
<i>Zaluzianskya ovata</i> (Benth.) Walp.
<i>Zamioculcas zamiifolia</i> (Lodd.) Engl.
<i>Zantedeschia</i> Spreng.
<i>Zeamays</i> L.
<i>Zingiber officinale</i> Roscoe
<i>Zinnia</i> L.
<i>Ziziphus</i> Mill.
<i>Zoysia</i> Willd.
× <i>Zygonisia</i> hort. [ <i>Zygopetalum</i> × <i>Aganisia</i> ]
<i>Zygopetalum</i> Group

Annexed Table 3 (Corresponding to Article 16)

Name
<i>Adenium</i> Roem. et Schult.

Aeonium Webb & Berthel
Agastache Clayt. ex Gronov.
Allium chinense G. Don × Allium thunbergii G. Don
Allium chinense G. Don × Allium virgunculase F. Maek. & Kitam. var. kiiense Murata
Alstroemeria L.
Angelica L. (excluding Angelica acutilopa Kitagawa)
Angelonia Bonpl.
Anthemis L.
Armoracia Gaertn., Mey. et Scherb.
Bidens L.
Callisia Loe fl.
Carica L.
Cattleya Lindl. (including crossbreeds with Sophronitis, Brassavola, or Laelia)
Chlorophytum Ker Gawl.
Clematis L.
Cuphea P. Br.
Cymbidium Sw.
Dendrobium Sw.
Dianthus L. (excluding Dianthus caryophyllus L. (including crossbreeds with other species belonging to Dianthus))
Dianthus caryophyllus L. (including crossbreeds between other species belonging to Dianthus)
Diascia Link & Otto
Dieffenbachia Schott
Dionaea Ellis
Disa Bergius
Dizygotheca N. E. Br. (including Schefflera elegantissima (Veitch) Lowry & Frodin))

<i>Duranta</i> L.
<i>Ervatamia</i> Stapf (including <i>Tabernaemontana divaricata</i> (L.) R. Br. ex Roem. & Schult.)
<i>Eryngium</i> L.
<i>Erythrina</i> L.
<i>Euphorbia pulcherrima</i> Willd. ex Klotzsch
<i>Eurya</i> Thunb.
<i>Evolvulus</i> L.
<i>Exacum</i> L.
<i>Gerbera</i> L.
<i>Graptopetalum</i> Rose
<i>Gypsophila</i> L.
<i>Heliotropium</i> L.
<i>Helleborus</i> L.
<i>Hydrangea</i> L.
<i>Impatiens</i> L.
<i>Iresine</i> P. Browne
<i>Iris laevigata</i> Fisch.
<i>Isotoma</i>
<i>Kalanchoe</i> Adans.
<i>Laurus</i> L.
<i>Lentinus edodes</i> (Berk.) Sing.
<i>Luculia</i> Sweet
<i>Lyophyllum shimeji</i> (Kawamura) Hongo
<i>Malpighia</i> L.
<i>Nolana</i> L.
<i>Odontoglossum</i> H. B. K. (including crossbreeds with <i>Aspacia</i> , <i>Ada</i> , <i>Oncidium</i> Sw., <i>Cochlioda</i> , <i>Gomesa</i> , <i>Comparettia</i> , <i>Brassia</i> L., <i>Miltonia</i> Lindl., or <i>Rodrigueziella</i> )
<i>Oncidium</i> Sw. (including crossbreeds with <i>Aspacia</i> , <i>Ionopsis</i> Kunth,

<i>Cochlioda, Comparettia, Trichocentrum, Brassia</i> L., <i>Leochilus</i> , or <i>Rodrigueziella</i> )
<i>Oplismenus</i>
<i>Pachira</i> Aubl.
<i>Parthenocissus</i> Planch.
<i>Passiflora</i> L.
<i>Pelargonium</i> L'Her. ex Ait
<i>Petunia</i> Juss.
<i>Phyla</i> Lour.
<i>Plectranthus</i> L'Her.
<i>Pratia</i> Gaudich.
<i>Prunus tomentosa</i> Thunb.
<i>Rosa</i> L.
<i>Sagittaria</i>
<i>Saintpaulia</i> H. Wendl.
<i>Scaevola</i> L.
<i>Schisandra</i> Michx.
<i>Schlumbergera</i> Lem. [ <i>Zygocactus</i> K. Schum.]
<i>Scoparia</i> L.
<i>Scutellaria</i> L.
<i>Sedum</i> L. (including <i>Graptopetalum paraguayense</i> (N. E. Br.) Walth.)
<i>Senecio</i> L. ( <i>Senecio cruentus</i> (excluding <i>Massonex</i> L'Her.) DC.)
<i>Serruria</i> Salisb.
<i>Smallanthus</i>
<i>Solidago</i> L.
× <i>Solidaster</i> Wehrh.
<i>Sparassis crispa</i> Wulf.:Fr.
<i>Styrax</i> L.



<i>Symphoricarpos</i> Duham.
<i>Tulipa</i> L.
<i>Wahlenbergia</i>

Appended Table 4 (Corresponding to Article 17)

Denomination	Class of similar agricultural, forestry, or aquatic plants
Search Class	Scientific Name
Class divided more finely than genus or species	
CLASS 1.1.	<i>Brassica oleracea</i>
CLASS 1.2.	<i>Brassica</i> (excluding <i>Brassica oleracea</i> )
CLASS 2.1.	<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>alba</i> DC. <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>saccharifera</i> Alef.
CLASS 2.2.	<i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>conditiva</i> Alef. [ <i>B. vulgaris</i> L. var. <i>rubra</i> L.] <i>Beta vulgaris</i> L. ssp. <i>vulgaris</i> var. <i>vulgaris</i> <i>Beta vulgaris</i> L. var. <i>cicla</i> L.
CLASS 2.3.	<i>Beta vulgaris</i> L. (excluding class 2.1. and class 2.2.)
CLASS 3.1.	<i>Cucumis sativus</i> L.
CLASS 3.2.	<i>Cucumis melo</i> L.
CLASS 3.3.	<i>Cucumis</i> (excluding class 3.1. and class 3.2.)
CLASS 4.1	<i>Solanum tuberosum</i> L.
CLASS 4.2.	<i>Solanum</i> L. (excluding class 4.1.)
CLASS 2.01.	<i>Secale</i> × <i>Triticosecale</i> Wittm. ex A. Camus

	<i>Triticum</i> L.
CLASS 2.02.	<i>Panicum</i> L.
	<i>Setaria</i>
CLASS 2.03.	<i>Agrostis</i> L.
	<i>Dactylis</i> L.
	<i>Festuca</i> L.
	× <i>Festulolium</i> Aschers. Et Graebn.
	<i>Lolium</i> L.
	<i>Phalaris</i>
	Phleum
	<i>Poa</i> L.
CLASS 2.04.	<i>Lotus</i> L.
	<i>Medicago</i> L.
	<i>Onobrychis</i>
	<i>Ornithopus</i>
	<i>Trifolium</i> L.
CLASS 2.05.	<i>Cichorium</i>
	<i>Lactuca</i>
CLASS 2.06.	<i>Calibrachoa</i> Llave & Lex.
	<i>Petunia</i> Juss.
CLASS 2.07.	<i>Ajania</i> Poljakov
	<i>Chrysanthemum</i> L.
CLASS 2.08.	(Stalice)
	<i>Goniolimon</i>
	<i>Limonium</i> Mill.
	<i>Psylliostachys</i>
CLASS 2.09.	(Waxflower)
	<i>Chamelaucium</i> Desf.
	<i>Verticordia</i>

CLASS 2.10.	<i>Jamesbrittenia</i> O. Kuntze
	<i>Sutera</i> Roth
CLASS 2.11.	<i>Agaricus bisporus</i> (Lange.) Sing
	<i>Agaricus blazei</i> Murrill
	<i>Agrocybe cylindracea</i> (Fr.) Gill.
	<i>Auricularia auricula-judae</i> (Fr.) Quel
	<i>Auricularia polytricha</i> (Mont.) Sacc.
	<i>Dictyophora indusiata</i> (Ventenat:Persoon) Fischer
	<i>Flammulina velutipes</i> (Fr.) Sing.
	<i>Ganoderma lucidum</i>
	<i>Grifola frondosa</i> (Fr.) S. F. Gray
	<i>Hericium erinaceum</i> (Bull Fr.) Pers.
	<i>Hypsizygus marmoreus</i> (Peck) Bigelow
	<i>Hypsizygus ulmarium</i> (Bulliard:Fries) Redhed
	<i>Lentinus edodes</i> (Berk.) Sing.
	<i>Lepista nuda</i> (Bulliard:Fries) Cooke
	<i>Lepista sordida</i> (Schumacher:Fries) Singer
	<i>Lyophyllum decastes</i> (Fr.) Sing.
	<i>Lyophyllum shimeji</i> (Kawamura) Hongo
	<i>Macrocybe gigantea</i> (Masse) Pegler & Lodge
	[ <i>Tricholoma giganteum</i> Masee]
	<i>Meripilus giganteus</i> (Persoon:Fries) Karten
	<i>Mycoleptodonoides aitchisonii</i> (Berkeley) Maas Geesteranus
	<i>Naematoloma sublateritium</i> (Fr.) Karst.
	<i>Panellus serotinus</i>
<i>Pholiota adiposa</i> (Fr.) kummer	
<i>Pholiota nameko</i> (T. Ito) S. Ito et Imai	
<i>Pleurotus cornucopiae</i> (Pers.) Rolland.	

	<i>Pleurotus cystidiosus</i> O. K. Mill.
	<i>Pleurotus cystidiosus</i> subsp. <i>abalonus</i>
	<i>Pleurotus eryngii</i> (DcexFr.) Quel.
	<i>Pleurotus ostreatus</i> (Fr.) Quel.
	<i>Pleurotus pulmonarius</i> (Fr.) Quel.
	<i>Polyporus tuberaster</i> (Jacquinex Persoon) Fries
	<i>Sparassis crispa</i> Wulf.:Fr.
CLASS 2.12.	<i>Cattleya</i> Group
CLASS 2.13.	<i>Miltonia</i> Group
CLASS 2.14.	<i>Odontoglossum</i> Group
CLASS 2.15.	<i>Oncidium</i> Group
CLASS 2.16	<i>Phalaenopsis</i> Group
CLASS 2.17	<i>Zygopetalum</i> Group